

(b)(6)

CIV NSA Annapolis HQ, N30

**From:** (b)(6) NDW HQ, N3  
**nt:** Monday, January 06, 2014 3:22 PM  
**to:** (b)(6) CIV NNCM (b)(6); (b)(6) CIV NSA South  
Potomac (DLGR), N30; (b)(6) CIV NAS Patuxent River, N30; (b)(6)  
CIV NDW ANND, N30; (b)(6) CIV NSA Annapolis HQ, N30  
**Cc:** (b)(6) NDW HQ, N3  
**Subject:** FW: ASSOCIATED PRESS FOIA REQUEST, 9/28/2013  
**Attachments:** NDW FOIA REQUEST.docx  
**Signed By:** (b)(6)  
**Importance:** High  
**Sensitivity:** Confidential

DO NOT FORWARD OR SHARE THIS EMAIL WITH ANY OTHER PERSONNEL!!

Chiefs

This has surfaced again but probably the first time you all have seen this request. I have been dealing with this for some time and had the front office convinced that we would disregard this request for information to the Associated Press until after the JAGMAN investigation was closed and we received the official report but as you can see I have been placed on report for the following information pertinent to this entire FOIA request. I know this is a lot of information but please make copies or print emails off, etc and I will have you all bring this to our next meeting this coming Monday. Sorry for this to be dumped onto you but they are wanting the information and we must adhere to their request.

( )anks and Be Safe,

(b)(6)

Regional Fire Chief  
NDW Fire & Emergency Services  
4193 West Farnum Road, Building 878  
Indian Head, Maryland 20640  
301-744-4969 (Office)  
(b)(6) (Cell)

This message may contain information that is covered by the Privacy Act of 1974 and that should be viewed only by those with an official "need to know." If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the content of this information is prohibited. If you have received this communication in error, please notify me immediately by e-mail and delete the original message.

-----Original Message-----

**From:** (b)(6) CIV RLSO, NDW  
**Sent:** Sunday, January 05, 2014 2:39 PM  
**To:** (b)(6) NDW HQ, N3  
**Subject:** FW: ASSOCIATED PRESS FOIA REQUEST, 9/28/2013

(b)(6)

( ) I hope you had a wonderful holiday.

I checking the status of the above request. They are asking for all the documents NDW has. Please provide me a status. If you have any questions contact me.

V/r,

(b)(6)

FOIA/PA Officer  
Naval District Washington  
1343 Dahlgren Avenue SE, Bldg 1  
Washington Navy Yard, DC 20374-5161

Tel: 202-433-4133

Fax: 202-433-2207

Email: (b)(6)

FOR OFFICIAL USE ONLY, PRIVACY SENSITIVE. This electronic transmission, and any attachments, may contain confidential information intended only for the person(s) named above. It may be protected from disclosure by applicable law, including the Privacy Act, attorney-client privilege, and/or work product doctrine. Any misuse, distribution, copying, or unauthorized disclosure by another person is strictly prohibited and may result in both civil and criminal penalties. If you receive this transmission in error, please notify the sender at the telephone number or e-mail address above.

-----Original Message-----

From: (b)(6) NDW HQ, N3

Sent: Monday, September 30, 2013 2:29 PM

To: (b)(6) L; Adams, Charles H CIV NAS Patuxent River, N30; (b)(6) ;

(b)(6) CIV NDW ANND, N30; (b)(6) CIV NSA Annapolis HQ, N30; (b)(6)

(b)(6) CIV NSA South Potomac (DLGR), N30; (b)(6) CIV NAS Patuxent River, N30

Cc: (b)(6) CIV RLSO, NDW; (b)(6) NDW HQ, N3

Subject: FW: ASSOCIATED PRESS FOIA REQUEST, 9/28/2013

Chiefs

I know this will take some time, however as you can see from our FOIA officer for NDW, I will need ALL ELMR discrepancy reports that you have in your records. Please make copies of each one of these and we will schedule to receive them at our next Chief's meeting, so I need for each of you to take the lead on this only.

-----Original Message-----

From: (b)(6) CIV RLSO, NDW

Sent: Monday, September 30, 2013 2:23 PM

To: (b)(6) NDW HQ, N3

Subject: FW: ASSOCIATED PRESS FOIA REQUEST, 9/28/2013

(b)(6)

Per our discussion, the above request is being sent to you. If you have any questions contact me.

V/r,

(b)(6)

FOIA/PA Officer  
Naval District Washington  
1343 Dahlgren Avenue SE, Bldg 1  
Washington Navy Yard, DC 20374-5161

Tel: 202-433-4133

Fax: 202-433-2207

Email: (b)(6)

FOR OFFICIAL USE ONLY, PRIVACY SENSITIVE. This electronic transmission, and any attachments, may contain confidential information intended only for the person(s) named above. It may be protected from disclosure by applicable law, including the Privacy Act, attorney-client privilege, and/or work product doctrine. Any misuse, distribution, copying, or unauthorized disclosure by another person is strictly prohibited and may result in both civil and criminal penalties. If you receive this transmission in error, please notify the sender at the telephone number or e-mail address above.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From:  
Sent:  
To:

"(b)(6)  
Wednesday, May 02, 2012 4:00 PM

(b)(6)

Cc:

(b)(6)

Subject:

NSAW Dispatch ELMR System on Back-Up

BLUF: During a Automatic Fire Alarm on JBAB at 1519 hours to building 3618, the units responding and operating on the scene could not here dispatch. Dispatch advised the are having radio issues and switching to the back-up system.

Amplifying Information: Once again during this incident and as previously reported, Fire is experiencing radio issues during incidents. When Dispatch is on the back-up system the ELMR Emergency Identifier button does not work. If a firefighter gets in trouble he/she cannot utilize this built in safety feature.

Current Operations: The radio's are back up and functioning normal and have been tested between the station and dispatch. The radio was main radio was down for about 5 minutes.

Comment: This is an ongoing Life/Safety Concern for the Fire Department, not being able to use the emergency identifier in back up mode. Also during incidents interior crews not being able to talk to Command or request resources from Dispatch after switching to the conventional channel to operate in buildings for coverage issues.

Closing Remarks: We are fortunate that this radio failure did not occur this morning during the actual fire at JBAB. This same issue was reported during Solid Curtain during the exercise at NSF Carderock.

The NSAW Dispatch advised radio just had to be switched back to the back-up before I finished this email and we are running a medical local at BLDG# 399. I will advise when they come back on line.

r/(b)(6)

(b)(6), District Fire Chief  
Naval Support Activity Washington  
Joint Base Anacostia Bolling  
NDW Fire & Emergency Services  
5 Castle Avenue  
Joint Base Anacostia Bolling  
Washington D. C. 20032  
202-767-1285 Office  
202-735-8485 work cell  
(b)(6) personal cell

(b)(6)

**\*\*FOR OFFICIAL USE ONLY-PRIVACY SENSITIVE\*\*** This e-mail, including any attachments, may contain information that requires protection from unauthorized disclosure. Do not disseminate this e-mail, or its contents, to anyone who does not have an official need for access. Any misuse or unauthorized disclosure can result in both civil and criminal penalties.

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6)  
Sent: Monday, January 23, 2012 1:30 PM  
To: (b)(6) CIV NAS Patuxent River, N30; (b)(6) CIV (Firechief)  
WHMO/NSF; (b)(6) CIV NDW ANND, N30; (b)(6) ; (b)(6)  
(b)(6) CIV NSA South Potomac (DLGR), N30; (b)(6) ; (b)(6)  
(b)(6) CIV NAS Patuxent River, N30  
Cc: (b)(6) CIV NDW WYND, N30; (b)(6) CIV NDW DLGR, N61; (b)(6) ,  
(b)(6) CIV NDW DLGR, N61; (b)(6) CIV NDW DLGR, N6; (b)(6)  
NDW DLGR, N92; (b)(6) CIV NDW WNYD, N3; (b)(6) CIV NDW  
WNYD, N3 OPERATIONS  
Subject: FW: Deployment Schedule for IRCI's

Dist Chiefs

Please see below the email from (b)(6) and be prepared for his presence at all locations to have these units installed into each Command Unit and to receive the familiarization training. It will be paramount to have your on-duty Ops Chief there also.

Thanks and Be Safe,

(b)(6)

Regional Fire Chief  
NDW Fire & Emergency Services  
1411 Parsons Ave, SE  
Bldg 101, 2nd Floor, Room 238  
Washington Navy Yard, DC 20374  
202-433-2203 (Office)  
(b)(6) (Cell)

This message may contain information that is covered by the Privacy Act of 1974 and that should be viewed only by those with an official "need to know." If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the content of this information is prohibited. If you have received this communication in error, please notify me immediately by e-mail and delete the original message.

-----Original Message-----

From: (b)(6) CIV NDW DLGR, N61  
Sent: Monday, January 23, 2012 13:05  
To: Miedzinski, Charles P NDW DLGR, N92  
Cc: (b)(6) CIV NDW DLGR, N61; (b)(6) CIV NDW DLGR, N6  
Subject: Deployment Schedule for IRCI's

Chief,

As discussed on the phone I am working the SOP/Instruction Guide for the devices today/tomorrow. Below are the dates I would like to get a 20-30 minute window with the affected Fire Chief.

Joe

30 Jan - Annapolis  
31 Jan - Indianhead  
1 Feb - Patuxent River

2 Feb - NSA Washington/JBAB

3 Feb - Dahlgren

6 Feb - Bethesda

/r

(b)(6)

NDW eLMR System Administrator

Office (540)653-3364

Cell (b)(6)

(b)(6)

eLMR/ATFP Help Desk

1-888-264-4255 opt. 1

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6)  
Sent: Tuesday, July 24, 2012 12:34 PM  
To: (b)(6) CIV NDW NSAA, N02; (b)(6) NDW DLGR, N92  
Cc: (b)(6) NSA Annapolis HQ, N00; (b)(6) CIV NDW NSAA, N3; (b)(6)  
(b)(6) CIV NDW WNYD, N3 OPERATIONS; (b)(6) ; (b)(6) CIV  
NDW DLGR, N6; (b)(6) CIV NDW DLGR, N6; (b)(6) CIV NDW DLGR,  
N61  
Subject: RE: ELMR Down at Annapolis  
Attachments: Alarm Safeguardsv3 May 2012.ppt

(b)(6)

As to your email and its meaning, I will not address. To the part of ELMRs being down and the problem, you addressed all the wrong people. N3 is an operational group and therefore from the regional N3 to the Installational N3 first responders we operate the equipment provided. If a problem develops with that operation (mechanical or operator error) then two things are in place to provide a solution.

First: The operators should have a CONOPS and SOP that covers the recovery of the system and if the system cannot recover, then an SOP that drives operational and tenant staff to a local solution (LDC) and at the very end, a plan that requires all hands to stand too to safeguard alarmed requirements with a watch (I have attached a brief that each base should be able to perform if technology or power fails ((disregard slide two)). I would agree that we have had to implement our RDC to LDC SOP a lot in the past few months, but that's why we have one! ELMR is a system like any other system and it has an Ao and MTTR requirements. All N3 personnel should be highly trained to operate with or without technology during all emergencies. So the real question is: how often do first responders train with particle and complete system failures with technology and emergency equipment?

Second: A repair system that allows for local (if possible) and technical reach back (PIM MAC sustainment) on a MTTR and an Ao for operating availability that is controlled and tracked. Both of which we have through our N6 local support group and the NAVFAC ATP Ashore program.

In closing: I simply asked (b)(6) (N6) today about the reason for the ELMRs problem at NSAA. The local N6 team has determined that a Version switch is causing the problem and will be replacing that switch with an ATT switch to improve the ELMRs tower supporting NSAA. This is a problem that no operator could have known or repaired.

VR

(b)(6)

-----Original Message-----

From: (b)(6) CIV NDW NSAA, N02  
Sent: Monday, July 23, 2012 8:45 PM  
To: (b)(6) NDW DLGR, N92  
Cc: (b)(6) NSA Annapolis HQ, N00; (b)(6) CIV NDW NSAA, N3; (b)(6)  
(b)(6) CIV NDW WNYD, N3 OPERATIONS; (b)(6) CIV NDW WNYD, N3; (b)(6)  
Subject: Fw: ELMR Down at Annapolis

Chief this has happened a few times in the past week. I am questioning if this is a risk worth taking. This was also addressed today at our morning staff mtg, and now it happens again.

R/  
(b)(6), PE  
Deputy Commanding Officer NSA Annapolis  
38 Bennion Road  
Annapolis, MD 21402

Office 410-293-9321  
Cell (b)(6)  
(b)(6)

"SUPPORTING NAVY'S FUTURE LEADERS"

----- Original Message -----

From: (b)(6) CIV NSA Annapolis HQ, N30  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6) CIV NDW NSAA, N30; (b)(6) CIV NSA Annapolis HQ, N30;  
(b)(6) NDW DLGR, N92; (b)(6) CIV NDW NSAA, N02  
Sent: Mon Jul 23 19:15:35 2012  
Subject: ELMR Down at Annapolis

(b)(6)

I was advised by the RDC at 1850 hrs that the ELMR was down again at Annapolis. They advised that an MA was being sent to monitor the Police side. We have no one to send to monitor fire.

(b)(6)

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NDW WNYD, N37  
Sent: Friday, March 23, 2012 2:14 PM  
To: Seconda Hollinger  
Cc: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NDW NSAA, N3; (b)(6)  
(b)(6); (b)(6) CIV NSA Annapolis HQ, N37; (b)(6) CIV NDW  
WNYD, N3  
Subject: RE: ELMR function inquiry

Good Friday Afternoon (b)(6) ,

An advance notification should be forward to the RDC's Manager/Supervisor for coordination. Once dates & times are agreed upon, an RDC employee will be on stand-by to acknowledge receipt of tested alarms.

I hope this answers the question.

V/R,  
(b)(6)

-----Original Message-----

From: (b)(6) [mailto:(b)(6)]  
Sent: Wednesday, March 21, 2012 12:07  
To: (b)(6) CIV NDW WNYD, N37  
Cc: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NDW NSAA, N3; (b)(6)  
(b)(6) CIV NSA Annapolis HQ, N37  
Subject: FW: ELMR function inquiry

(b)(6) please note the Fire Chief's concern for testing fire alarms.  
Thanks.

(b)(6)

-----Original Message-----

From: (b)(6) [mailto:(b)(6)]  
Sent: Wednesday, March 21, 2012 10:46 AM  
To: (b)(6)  
Cc: (b)(6) NDW DLGR N92; (b)(6)  
Subject: ELMR function inquiry

(b)(6) ;

Greetings.

Since I have been dialing into the last few RDC tele-conferences, I have noticed something that may be lacking. I have not heard anything about provisions for fire alarm testing procedures currently being followed at installation level being addressed at Regional Dispatch level. All fire departments test alarm systems in each building at least annually, some more frequently, per CNIC directives. This ties up a dispatcher, at least for the time necessary to perform the testing functions. Do you know of any plans which address what will occur when all FDs test their alarm systems, and the test signals go to RDC? This could potentially drive assigning a dispatcher to the testing portion (which could impact dispatcher manpower that particular day), or possibly

designating a day for all alarm tests, etc. etc. etc.  
Thank you.

R/djm

(b)(6)

Chief / IPD

Naval District Washington

Fire & Emergency Services

at Annapolis, MD.

410.293.5775

NMCI: (b)(6)

Remember OPSEC/COMSEC - Someone is always observing.

Copying, reproduction or distribution without the permission of the author is not permitted. This message may contain information that provides advice or guidance and therefore may be privileged. This email and any attachments are intended solely for the use of the intended recipient and may be private or confidential in nature.

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6) (b)(6) ]  
Sent: Tuesday, February 21, 2012 4:00 PM  
To: (b)(6); (b)(6) (Fire Marshal/Arson Investigator); (b)(6)  
Cc: (b)(6)  
Subject: FW: RDCTRANSITION

Importance: High

A handful of us are going to NDW dispatch center Thursday morning, leaving here at 0900 hrs. I would love to have a representative from both Fire and Police to go with us.

V/r

(b)(6)

Lead Emergency Vehicle Dispatcher  
NSA Annapolis, DOD Police  
Dispatch Center  
Phone (410)-293-5788  
Fax (410)-293-4433

-----Original Message-----

From: (b)(6) [mailto:(b)(6)]  
Sent: Tuesday, February 21, 2012 2:58 PM  
To: (b)(6)  
Cc: (b)(6); (b)(6); (b)(6); (b)(6);  
(b)(6)  
Subject: RDCTRANSITION

Good afternoon (b)(6),

Here are the minutes from the meeting:

1. Transition date: Biggest issue is the 31 March 2012 chop over date for all 8 Dispatchers. (b)(6) stated the drop dead date is 31 March when I asked about test plans and a POAM there currently arent any and he stated we can discuss this when we come to visit this week. The plan is to visit NDW on Thursday 23 Feb 1000. I will have (b)(6), (b)(6), and (b)(6) hopefully a Fire and Police representative with me. I know you have a busy schedule and I can arrange for you to call in if you like. My concern is that I asked this same question last week and was told there was no date, test plans and POAM but this week you have a date but still no POAM or test plans so how did you come up with a date?

2. No change in equipment status. CAD consoles are up in training mode. Dispatchers need to be trained on operating the system. (There were some alarm issues last week in Dispatch where NDW could not tell where the alarm was coming from and received no information on the location of the alarm this wasn't mentioned in the meeting today).

3. ELMRS- (b)(6) was supposed to send out a list of radios to Annapolis that still needed to be programmed. (b)(6) stated he needed to physically touch each radio. I have not

received a list as of yet.. (b)(6) and (b)(6) are working on a design to have an overlay of 3 bases on one console.

4. WALES- DSL lines were delvied 10 Feb. The lines are scheduled to be provisioned today.

5. VESTA//call forwarding- waiting on verizon for VESTA call routing. Installations will keep their current emergency numbers and VESTA will route the calls. No testing has been done on this system. Once all work is completed testing will be done. Tentative testing date sometime next week per

(b)(6)

6. Lenel servers- N6 will engage Lenel directly on a Statement of Work for RAMAS/LAMAS transition of database and alarm formatting in RAMAS. Funding has been set aside for this issue.

7. N1- meeting with the union took place on 15 Feb lasted two hours . There were alot of questions. The Union reps wanted to be able to call in to

the Tuesday telecon and was told no. The union also requested a copy of the SOP and minutes from the tuesday meetings. (b)(6) needs to send the union rep a draft. Some questions that were asked are beyond management's control.

8. Draft Dispatch SOP was sent out for some people to review(not installation EMOs) not sure who but it will be sent to installations for review. The Navy Yard's Dispatch SOP will include all installation SOPs as annexes.

9. No changes on RDC PD status.

(b)(6)

NSA ANNAPOLIS EMERGENCY MANAGER  
410-293-5771

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NAS Patuxent River HQ, N30  
Sent: Friday, February 22, 2013 8:14 AM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: Request for dispatch specifics  
Signed By: (b)(6)

OK Sir,

I will discuss some OLF response requirements with you on Monday at the DC's meeting. I don't believe (b)(6) is addressed in that document.

Vr/ (b)(6)

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Friday, February 22, 2013 8:11  
To: (b)(6) CIV NAS Patuxent River HQ, N30  
Subject: RE: Request for dispatch specifics

Chief;  
Got it.  
Thank you.  
There was some issue with the "underlying security settings" must be NMCI speak.  
Stay safe.

R/ (b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services  
NSA-Annapolis  
410.293.5775 Office  
410.293.5797 Alternate

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NAS Patuxent River HQ, N30  
Sent: Thursday, February 21, 2013 19:02  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: FW: Request for dispatch specifics

Let me know if it came through this time.

-----Original Message-----

From: (b)(6) CIV NAS Patuxent River, N30

Sent: Tuesday, February 19, 2013 12:05

To: (b)(6) CIV NAS Patuxent River HQ, N30; (b)(6)  
River, N30

CIV NAS Patuxent

Subject: RE: Request for dispatch specifics

Chief this is what I have been working on with (b)(6) at dispatch for Pax, we are working on updating and including Webster Field responses. She was looking to use this as an SOG/training guide for the new dispatchers.

(b)(6)

Battalion Fire Chief  
Office 301-342-1403  
Fax 301-995-7353

-----Original Message-----

From: (b)(6) CIV NAS Patuxent River HQ, N30

Sent: Tuesday, February 19, 2013 9:17

To: (b)(6) CIV NAS Patuxent River, N30; (b)(6) CIV NAS Patuxent River, N30

Subject: FW: Request for dispatch specifics

Chiefs,

Lets discuss current requirements, and changes if needed.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30

Sent: Tuesday, February 19, 2013 8:39

To: (b)(6) CIV NAS Patuxent River HQ, N30; (b)(6) CIV NMMC; (b)(6),  
(b)(6) CIV NDW ANND, N30; (b)(6) CIV NSA South Potomac (DLGR), N30

Cc: (b)(6) CIV NDW WYND, N30

Subject: Request for dispatch specifics

Chiefs;

Greetings.

This is to request input from your AORs, regarding specific dispatch requirements to meet emergent/non-emergent calls for service.

As you recall, I am piecing together an overall SOG to cover response dispatching, for the RFC.

Please let me know what types of apparatus you need to respond on calls, and specially note extra/different resources needed for proper mitigation.

My general thought process is as follows:

Non-emergent (service) calls - first due class A piece.

Fire Alarms (AFA, Master Box, etc), with no report of smoke or fire - first due class A piece.

Odor of Smoke, exterior - first due class A piece.

Odor of Smoke, interior - 2 engines, 1 truck, 1 ambulance, and IC.

Report of Fire, exterior - 2 engines, 1 truck, 1 ambulance, and IC.

Report of Fire, interior - 2 engines, 1 truck, 1 ambulance, IC, and Mutual Aid units.

EMS call, non-life threatening, 1 ambulance.

EMS call, life threatening - 1 Ambulance/Medic unit, first due class A piece.

Here is where I need some filler:

ARFF responses.....(b)(6) please chime in.

Special OP-5 responses.....(b)(6) please chime in.

Special circumstance responses...(Helos from Central and outlying areas)....(b)(6)  
please chime in.

Critical needs responses...Wounded Warriors, etc...(b)(6) please chime in.

As all can see, I am trying to pare down our responding units to meet the minimum necessary pieces being dispatched, IAW the DoD requirements.

I will also need your input/thoughts on which actual tones we should have dispatch use. I am leaning toward one single tone for EMNS and Fire; the warble tone for fire/rescue/EMS ground emergency notices/MAYDAYS; and the pulse tone for immediate alerts for weather, etc.

Lots of working parts here, and I apologize for the length of this e-mail.  
Stay safe.

R/(b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services

NSA-Annapolis

410.293.5775 Office

410.293.5797 Alternate

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

**From:** (b)(6) CIV NAS Patuxent River HQ, N30  
**Sent:** Friday, February 22, 2013 8:13 AM  
**To:** (b)(6) CIV NDW ANND, N30; (b)(6) CIV NSA Annapolis HQ, N30  
**Cc:** (b)(6) NDW DLGR, N92; (b)(6) CIV NAS Patuxent River, N3; (b)(6)  
(b)(6) CIV NAS Patuxent River, N37; (b)(6) CIV NAS Patuxent River, N30;  
(b)(6) CIV NAS Patuxent River, N30  
**Subject:** Dispatch/Communications?  
**Signed By:** (b)(6)

Chiefs,

There is a little confusion here at PAX on what we are calling the "Dispatch Center".

We at PAX have always called "Dispatch" dispatch. Several of the members periodically call them "Communications".

I have received no clarification of the terminology to be used when calling them. I want to standardize this portion of our communication matrix.

Can you please advise on what the other Districts are calling them. I simply want to ensure we are in line with everyone.

The confusion is simply that on the same call, the center would be called two different names.

Vr/ (b)(6).

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NAS Patuxent River HQ, N30  
Sent: Tuesday, June 26, 2012 6:35 AM  
To: (b)(6) CIV NAS Patuxent River, N30  
Cc: (b)(6) CIV NAS Patuxent River, N3; (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR Programming Problems

Chief,

Neither of the two additional ELMR radios were on the missing list.

That makes a total of four radios, essentially turned off or downed during the same time frame, kind of coincidental.

V/r,

(b)(6)

-----Original Message-----

From: (b)(6) CIV NAS Patuxent River, N30  
Sent: Monday, June 25, 2012 21:26  
To: (b)(6) CIV NDW DLGR, N61  
Cc: (b)(6) CIV NAS Patuxent River HQ, N30; (b)(6) CIV NAS Patuxent River, N30; (b)(6) CIV NAS Patuxent River, N30  
Subject: ELMR Programming Problems

(b)(6)

Something is happening with our ELMR portables in regards to programming.

On Monday 25 June 2012, S/N 9146462 (Trouble Ticket# 275719) & S/N 9146529 (Trouble Ticket# 275517) have locked up showing an "A" on the screen not transmitting, receiving or allowing channel changes.

Also, I understand the ELMR Group deactivated some radios, we have two of those assigned to Pax Fire - S/N 9146347 assigned to Fire Alarm Tech & S/N 9146447 assigned to a Fire Inspector. Please re-activate these as they are mission essential for Pax Fire.

V/R,

(b)(6)

Battalion Chief  
NAS Patuxent River  
Fire & Emergency Services  
240-298-6286

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NAS Patuxent River HQ, N30  
Sent: Monday, June 25, 2012 10:22 AM  
To: (b)(6) CIV NAS Patuxent River, N3  
Cc: (b)(6) CIV NAS Patuxent River, N30; (b)(6) CIV NAS Patuxent  
River, N30; (b)(6) NDW DLGR, N92; (b)(6) CIV NSA Annapolis  
Subject: RE: On-Going Radio inventory - Current Status

(b)(6)

Radio 9146447-located (Fire Inspector Radio) it is not working. Please have them reactivate, they are currently not able to perform their job functions.

Radio 9146347-located (on loan to IAP Fire Alarm Tech/Kevin) it is not working. Please have them reactivate, they are currently not able to perform their job functions..

I don't know how these radios were missed during the inventory.

The fire dept. ELMR representative was in direct contact with the folks through portions of their inspection.

On a personal side bar. I don't believe anyone should have been turning off any radios that may have been perceived to be have been utilized by anyone in public safety. I would have hated to see a police officer or firefighter needing to use their radio for emergency traffic, and then realizing they could not.

I think the coordination of turning off the radios may have been better identified after the secondary sweep for the radios.

V/r,

(b)(6)

District Fire Chief  
NDW / Naval Air Station Patuxent River  
Building 588 Room 206  
47253 Whalen Road  
Patuxent River, MD 20670  
Office: (301) 757-4680  
Cell: (b)(6)

-----Original Message-----

From: (b)(6) CIV NAS Patuxent River, N3  
Sent: Monday, June 25, 2012 9:11  
To: (b)(6) CIV NAS Patuxent River, N37; (b)(6) DCC NAS Patuxent River, N37;  
(b)(6) NAS Patuxent River HQ, N3AT; (b)(6) CIV NAS Patuxent River HQ, N3AT;  
(b)(6) CIV NAS Patuxent River HQ, N30  
Cc: (b)(6) CIV NAS Patuxent River HQ, N61  
Subject: FW: On-Going Radio inventory - Current Status

SA, Please advise if we have any of the radios.

Vr, (b)(6)

(b)(6)

N3I, Operations Officer  
NAS Patuxent River  
Bldg. 588 Room 215A  
47253 Whalen Road  
Patuxent River, MD 20670  
Office: 301-342-8140  
Fax: 301-342-4264  
Cell: (b)(6)

-----Original Message-----

From: (b)(6) CIV NDW WNYD, N3  
Sent: Monday, June 25, 2012 8:59  
To: NDW N3 OPS N3IS; NDW N3 OPS RPDS  
Subject: FW: On-Going Radio inventory - Current Status

To all:

N6 has had to turn off these radios in hope of someone reporting it not working. Please look through your inventories and see if we can help locate these radios for N6's inventory and of course to support the next generation of radios assignment for one to one issue process.

VR

(b)(6)

-----Original Message-----

From: (b)(6) CIV NDW DLGR, N61  
Sent: Friday, June 22, 2012 9:53 AM  
To: (b)(6) CIV NDW WNYD, N3  
Cc: (b)(6) CIV NDW DLGR, N6; (b)(6) CIV NDW DLGR, N6  
Subject: Fw: On-Going Radio inventory - Current Status

(b)(6)

Per previous conversation, the attached is a list of radio's which were disabled due to inability to locate. We will await call-ins for further action.

(b)(6)

R/s

(b)(6)

N61 Branch Manager  
202-436-5137

Some people live an entire lifetime and wonder if they've ever made a difference in the world. Marines don't have that problem."

Ronald Reagan

----- Original Message -----

From: (b)(6) CIV NDW DLGR, N61  
To: (b)(6) CIV NDW HQ, N3AT; (b)(6) NDW DLGR, N92  
Cc: (b)(6) CIV NDW WNYD, N3; (b)(6) CIV NDW DLGR, N61; (b)(6)  
CIV NDW HQ, N61

Sent: Fri Jun 22 09:27:10 2012

Subject: On-Going Radio inventory - Current Status

Sirs,

The eLMR office has finished the inventorying and base lining effort at South Potomac and Patuxent River. All equipment not located is no longer functional. Please have any affected units reported to the CNIC Help Desk at the number below. Attached is a serial number listing of affected units. If there are any questions, please let me know.

(b)(6)

v/r

(b)(6)

NDW eLMR System Administrator

Cell (b)(6)

(b)(6)

eLMR/ATFP Help Desk

1-888-264-4255 opt. 1

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NAS Patuxent River HQ, N30  
Sent: Friday, June 01, 2012 8:03 AM  
To: (b)(6) CIV NSA South Potomac (DLGR), N30; (b)(6) CIV NSA  
Annapolis HQ, N30; (b)(6) CIV NDW ANND, N30; (b)(6) CIV NNMC  
Cc: (b)(6) NDW DLGR, N92  
Subject: FW: ELMR Conf  
Attachments: ELMR Conference at Indian Head Summary.docx

Chiefs,

This is what I sent out to the PAX folks yesterday after the ELMR conference. This was simply a summary of the items I was able to earmark.

Look forward to seeing everyone on Monday, enjoy your weekend and Be Safe!

V/r,

(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA South Potomac (DLGR), N30  
Sent: Friday, June 01, 2012 7:49  
To: (b)(6) CIV NAS Patuxent River HQ, N30  
Subject: RE: ELMR Conf

Sounds like we are on the same page!

FYI - have you sent this to (b)(6) yet? If not please do so, as he has the OPS group and will be the lead on regional implementation.

R/

-----Original Message-----

From: (b)(6) CIV NAS Patuxent River HQ, N30  
Sent: Friday, June 01, 2012 7:34 AM  
To: (b)(6) CIV NSA South Potomac (DLGR), N30  
Subject: RE: ELMR Conf

Chief,

This is what I sent out to the Chief's and radio collateral duty folks.

Hope this meets the intent of your email.

Have a safe weekend, and I'll see you on Monday.

V/r,

(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA South Potomac (DLGR), N30  
Sent: Friday, June 01, 2012 7:31  
To: (b)(6) CIV NDW ANND, N30; (b)(6) CIV NAS Patuxent River HQ, N30

Subject: ELMR Conf

Chief's,

Hope you don't mind, put together the 'bullet points' from yesterday's meeting. If OK, it can be used for Monday's Meeting!

(b)(6)

District Fire Chief  
Naval Support Activity South Potomac  
17658 Dahlgren Rd  
Building 411  
Dahlgren, VA 22448-5118

Comm (540) 653-3369

Cell (b)(6)

Fax (540) 653-6466

DSN 249-3369

"The next tragedy will take the pressure off the last tragedy"!

(b)(6)

## ELMR Conference Summary

Over of the ELMR Conference on May 31<sup>st</sup> 2012 at Indian Head Naval Base.

Second generation ELMR Radios are on the horizon, we might see them within the next 45-90 days.

These radios will allow us to band all frequencies under on radio with permissions from our mutual aide partnerships. They may also allow the police bands on the radio for radio communication if needed.

N3 divisions need to identify areas that do not allow clear transmission of the radios, and dead spots. This is either inside or outside areas. We need to get into these buildings to prepare snap shots of true capability. This will help drive additional resources from the N6 to support repeater location needs.

We need to document and report the entire circumstance around the lack of quality transmission. Was it raining, was it at night, where other radios transmitting etc.

These radios will be considered tri-banding radios. They will have endless programming opportunities.

**Prior to delivery:** We need to figure out how we want the radios set up, and with what frequencies, we need to have the MOU's online to program them. How do we want the channels selections programmed etc?

When we place tickets items for equipment, it is a one for one replacement. Never let an item go out of the department without an immediate replacement. This goes for radios, batteries, chargers, anything ELMR related.

A solid POC will have to be identified during the transition period. This person will be the direct liaison during inventory replace as the next generation radios come in. PAX Fire has these persons identified as (b)(6) A-Shift, and (b)(6) B-Shift.

It cannot be over emphasized on how important this action is to have an accurate radio/equipment count. These radios currently cost in the thousands, and the next generation is going to be even more expensive. We need to protect this asset effectively through accountability and proper sound usage.

Current ELMR radios will be used for contingency plan back up.

We need to practice and enact drills pertaining to system outages, down to Stone Age parameters. Drills need to be coordinated to review the flow of communication should the need arise to move to the backup radios or message runners.

### **Take Away:**

- \*\*\*Maintain Solid Data: equipment failures/dead spots
- \*\*\*Determine next generation radio configurations
- \*\*\*Identify POC for inventory transition
- \*\*\*Practice contingency plan for system failure.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NAS Patuxent River HQ, N30  
Sent: Monday, May 14, 2012 7:04 AM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6) CIV NAS Patuxent River, N3; (b)(6) NDW DLGR, N92; (b)(6)  
(b)(6) CIV NAS Patuxent River, N37  
Subject: FW: ELMR Problem

(b)(6)

This is just a quick snap shot of an ELMR radio issue this past Friday. Although currently resolved, it appears this is a reoccurring incident. I know there are a lot of bugs, and these things are occasionally to be expected. This is just simply notification of a true dispatch related ELMR incident.

The installation dispatch center staff, did a great job in switching over to the backup system. And ultimately crews on all ends are trained to maintain communication whether it is cell phone or radio.

The call ended up being transmitted, and crews responded. Fortunately, this was not a delay that resulted in any loss.

V/r,

(b)(6)

District Fire Chief  
NDW / Naval Air Station Patuxent River  
Building 588 Room 206  
47253 Whalen Road  
Patuxent River, MD 20670  
Office: (301) 757-4680  
Cell: (b)(6)

-----Original Message-----

From: (b)(6) CIV NAS Patuxent River, N30

Sent: Friday, May 11, 2012 21:01

Subject: ELMR Problem

FYI,

This evening Friday 5/11 (1730) as dispatch was trying to dispatch a fire alarm at Bldg. 1669, they were unable to transmit. They did switch to the backup and got the info out however it was very garbled and distorted (the call was handled basically by cell phone). Dispatch attempted to reboot all the radios to no avail. Dispatch (b)(6) called in emergency trouble ticket Icn#266044 and (b)(6) responded, after some trouble shooting he found a computer hardware failure and was able to repair and radios were back online at 2015, just in time for another fire alarm (Bldg. 406) to be dispatched.

(b)(6)

Battalion Chief-Operations  
Naval District Washington  
Fire and Emergency Services

47253 Whalen Road, Building 588  
Patuxent River, MD 20670  
301-342-1403

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6)  
Sent: Monday, January 09, 2012 3:23 PM  
To: (b)(6)  
Cc: (b)(6)  
Subject: ELMR inventory  
Attachments: ELMR Radio Inventory.doc; ELMR Radio Inventory Base-Charger Information.doc

(b)(6) ;

As you specifically requested.

R/(b)(6)

(b)(6)

410.293.5775

(b)(6)

## ELMR Radio Inventory NSA-Annapolis Fire

Mobile	Portable	Position	Serial Number	Repairs Needed
	X	B/C 46	9145191	No
X		B/C 46	9810183	Yes
X		B/C 46 Rear	N/A	No
	X	F/C 46	9145189	No
	X	P/C 46	9145186	No
	X	T/C 46	9145216	No
	X	FM-1	9146289	No
	X	FM-2	9146234	No
	X	FM-3	9143371	No
	X	FM-4	9146578	No
X		E-463	9810885	No
	X	E-463 DO	9146653	No
	X	E-463 OIC	9146519	No
	X	E-463 LB	9146588	No
	X	E-463 RB	9146437	No
X		QT-46	9810191	No
	X	QT-46 DO	9146382	No
	X	QT-46 OIC	9146331	No
	X	QT-46 LB	9146494	No
	X	QT-46 RB	9146625	No
X		A-468	9811044	No
	X	A-468 DO	9143382	No
	X	A-468 OIC	9146442	No
X		A-469	9811077	No
	X	A-469 DO	9146228	No
	X	A-469 OIC	9143415	No
	X	Utility 46	9143394	Yes
	X	Utility 47	9146515	No
X		E-471		
	X	E-471 DO	9146575	No
	X	E-471 OIC	9146285	No
	X	E-471 LB	9146379	No
	X	E-471 RB	9143399	No

Please note any missing radio's and make comments below:

B/C 46 – It is missing the channel selection knob.

Utility 46 to shop for transmit issues (9-21-2011) (b)(6) has it form shop.

Updated: 9-21-2011

## ELMR Radio Inventory NSA-Annapolis Fire

[illegible]

**Please note any missing radio's and make comments below:**

- Bank/Single chargers are in the shop at Station 46, using conditioner for charging of station batteries.

Updated: 1-9-2012

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV WHMO/NSF [(b)(6)]  
Sent: Friday, August 23, 2013 6:04 AM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: FW: ATFP NDW Tickets ELMR/VPMS  
Attachments: ATFP NDW Tickets ELMR\_VPMS.pdf  
Signed By: (b)(6)

(b)(6)

We don't have the ELMR System at NSF Thurmont, so we have not tickets. Let me know if you have any questions. V/r, Wayne

-----Original Message-----

From: (b)(6) NDW HQ, N3 [mailto:(b)(6)]  
Sent: Thursday, August 22, 2013 7:48 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6) CIV NDW DLGR, N30; (b)(6) CIV NDW ANND, N30; (b)(6)  
(b)(6) CIV WHMO/NSF; (b)(6) CIV NAS Patuxent River, N30; (b)(6);  
(b)(6) CIV NDW ANND, N30; (b)(6) CIV NSA South Potomac (DLGR), N30;  
(b)(6) CIV NAS Patuxent River, N30  
Subject: FW: ATFP NDW Tickets ELMR/VPMS

(b)(6)

We need to get ALL installation ELMR service ticket inventory to (b)(6) as soon as possible. Please provide me with a status on all Dist. Chiefs providing you with their data.

Thanks and Be Safe,

(b)(6)

Regional Fire Chief  
NDW Fire & Emergency Services  
4193 West Farnum Road, Building 878  
Indian Head, Maryland 20640  
301-744-4969 (Office)  
(b)(6) (Cell)

This message may contain information that is covered by the Privacy Act of 1974 and that should be viewed only by those with an official "need to know." If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the content of this information is prohibited. If you have received this communication in error, please notify me immediately by e-mail and delete the original message.

-----Original Message-----

From: (b)(6) CIV NDW WNYD, N3  
Sent: Wednesday, August 21, 2013 8:38 AM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6) NDW HQ, N3; (b)(6) CIV NDW ANND, N30  
Subject: FW: ATFP NDW Tickets ELMR/VPMS

FYSA

-----Original Message-----

From: do\_not\_reply@navy.mil [mailto:do\_not\_reply@navy.mil]

Sent: Monday, August 19, 2013 8:01 AM

To: (b)(6) CIV NDW WNYD, N3; (b)(6) CIV NDW DLGR, N61; (b)(6)

(b)(6) CIV NDW WNYD, N3; (b)(6) NAS Patuxent River HQ, N00

Cc: (b)(6) NSA South Potomac HQ, N01; (b)(6) CIV NDW NSAA, N02; NDW HQ

Regional Operations Center; (b)(6) CTR NDW WNYD, N36

Subject: ATFP NDW Tickets ELMR/VPMS

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6) CIV WHMO/NSF (b)(6) ]  
Sent: Wednesday, May 30, 2012 2:24 PM  
To: (b)(6) CIV NSA South Potomac (DLGR), N30  
Cc: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) NDW DLGR, N92  
Subject: RE: June 4 Meeting Agenda  
Signed By: david.garver@whmo.mil

All,  
We can have a discussion on this on Monday. Thanks (b)(6)

-----Original Message-----

From: (b)(6) CIV NSA South Potomac (DLGR), N30  
[mailto:(b)(6)]  
Sent: Wednesday, May 30, 2012 2:22 PM  
To: (b)(6) CIV WHMO/NSF  
Cc: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) NDW  
DLGR, N92  
Subject: RE: June 4 Meeting Agenda

Chief,

That wasn't a curve, I think it was a change-up!

Seriously, that is one that I do not have an answer to.

I am copying (b)(6) & (b)(6), they may have a little more info (ELMR).

As for the Self Assessment, are you referring to the Standard of Coverage?  
If so, no issue. Best to get it as accurate as possible.

R.

-----Original Message-----

From: (b)(6) CIV WHMO/NSF [mailto:(b)(6)]  
Sent: Wednesday, May 30, 2012 2:01 PM  
To: (b)(6) CIV NSA South Potomac (DLGR), N30  
Subject: RE: June 4 Meeting Agenda

(b)(6),

I wanted to throw a curve ball at you and ask what the status is of the ELMR for my location???? I was told last time they did not want to do anything until they got the bugs worked out. Can you provide me with any insight???? Thanks (b)(6)

Also,

We are trying to work on the self-assessment and finish this up prior to have a couple of folks from (b)(6) office come up and do a review with us. This will help us write the Scope of Service for this location. We have a long way to go but we are making progress and I will let you know.

I will see you at the meeting on Monday. Thanks (b)(6)

-----Original Message-----

From: (b)(6) CIV NSA South Potomac (DLGR), N30  
[mailto:(b)(6)]  
Sent: Wednesday, May 30, 2012 1:15 PM  
To: (b)(6); (b)(6) CIV NAS  
Patuxent River HQ, N30; (b)(6) CIV WHMO/NSF; (b)(6) CIV  
NDW ANND, N30; (b)(6); (b)(6) CIV NSA Annapolis  
HQ, N30; (b)(6) 1; (b)(6) CIV NDW; (b)(6),  
(b)(6) CIV NDW ANND, N30  
Cc: (b)(6) CIV NDW WYND, N30; (b)(6) NDW DLGR, N92  
Subject: June 4 Meeting Agenda

Chief's,

Attached is the agenda for next Monday's meeting.

Please send me any additional agenda items you may have and I will include them.

R/

(b)(6)  
District Fire Chief  
Naval Support Activity South Potomac  
17658 Dahlgren Rd  
Building 411  
Dahlgren, VA 22448-5118

Comm (540) 653-3369  
Cell (b)(6)  
Fax (540) 653-6466  
DSN 249-3369

"The next tragedy will take the pressure off the last tragedy"!

Al Brunacini

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NDW ANND, N30  
Sent: Thursday, January 31, 2013 5:03 PM  
To: (b)(6) CIV DLGR, N6E; (b)(6) CIV NDW HQ, N61  
Cc: (b)(6) NDW DLGR, N92; (b)(6) CIV NDW ANND, N30; (b)(6) CIV NDW WYND, N30  
Subject: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6)  
Signed By: NDW Fire - ELMR Issues  
(b)(6)

N6,

The purpose of this email is to check the status of several ELMR Radio Issues/Trouble Tickets that remain unresolved after submitting trouble tickets, and making contact with (b)(6) on several occasions. The one issue involving portable radio identifiers is an ongoing safety issue that has previously been addressed several times.

12-29-12 - Ticket #320377 - Request for 6 Bank Charger

1-7-13 - Email to (b)(6) to change identifiers on 2 portable radios that are reporting the incorrect identifier. Trouble Ticket has since been submitted also Ticket #328086, WYF341=E41 DO, WYF333=E41 RB

1-21-13 - Ticket #325006 - Tower 21 Mobile Radio Inoperable, Screen Turns On and Off

1-21-12 - Ticket #328102 - Ambulance 41 Radio has been installed and needs to be programmed. Several phone conversations with (b)(6) prior to submitting trouble ticket.

Thank you in advance for looking into these ELMR Radio Issues.

(b)(6)

Battalion Fire Chief  
NDW Central-Battalion 1  
202-767-1908

(b)(6)

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6) CIV NDW ANND, N30  
Sent: Saturday, December 29, 2012 10:53 AM  
To: (b)(6) CIV NDW DLGR, N61; (b)(6) CIV NDW HQ, N61  
Cc: (b)(6) NDW DLGR, N92; (b)(6) CIV NSA Annapolis HQ, N30;  
(b)(6) CIV NDW ANND, N30  
Subject: Current eLMR Inventory status for NSAW  
Attachments: NSAW N3 Security - Not Accounted For.xlsx; NSAW N3 - Accounted For.xlsx; NSAW N3 Fire - Not Accounted For.xlsx; LMR Radio Inventory Dec 12 2012.xlsx  
Signed By: (b)(6)  
Importance: High

(b)(6),

I have completed the N3 Fire - Not accounted for Spreadsheet, as best I can. I cannot verify numbers that do not exist on the spreadsheet. I have attached the NSAW/JBAB Fire Radio Inventory (LMR Radio Inventory 12/12/12) that we have kept in the Battalion Chiefs Office since they were initially issued. You will see the Serial Number, Location, Type of Radio, and a notes section that indicates the location of the radio or "out for repair". The inventory that is attached was checked and found to be correct during the last IG inspection and has been continuously updated since that time.

(b)(6)

Battalion Fire Chief  
NDW Central-Battalion 1  
202-767-1908

(b)(6)

-----Original Message-----

From: (b)(6) CIV NDW ANND, N30  
Sent: Saturday, December 29, 2012 9:49  
To: (b)(6) CIV NDW ANND, N30  
Cc: (b)(6) CIV NDW ANND, N30  
Subject: FW: Current eLMR Inventory status for NSAW  
Importance: High

-----Original Message-----

From: (b)(6) CIV NDW DLGR, N61  
Sent: Friday, December 28, 2012 13:49  
To: (b)(6) CIV Wahington Navy Yard, N93; (b)(6) CIV NDW ANND, N30  
Cc: (b)(6) CIV NDW WNYD, N3; (b)(6) NDW DLGR, N92; (b)(6)  
CIV NDW HQ, N61  
Subject: Current eLMR Inventory status for NSAW

Sirs,

Attached are the current eLMR inventories for NSAW. Please review. For items on the unaccounted for list, if your department has physical custody of the items, please make a note on the spreadsheet and forward back to (b)(6) and myself. We will get a technician assigned to update of inventory records and equipment programming. Any equipment not identified by 4 January 2012 will be disabled in the system. If you have any questions, please let me know.

(b)(6)

v/r

(b)(6)

NDW eLMR System Administrator

Cell (b)(6)

(b)(6)

eLMR/ATFP Help Desk

1-888-264-4255 opt. 1

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NDW ANND, N30  
Sent: Thursday, December 20, 2012 9:16 AM  
To: (b)(6) CIV NDW ANND, N30  
Cc: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) NDW DLGR, N92  
Subject: FW: ELMR Radios  
Attachments: LMR Radios OOS.xlsx  
Signed By: (b)(6)

Chief,

I have not gotten any response in reference to the December 10 or December 14 emails below in reference to the status of 6 ELMR Radios that have been out for repair for 1 year, and a request for some other needed ELMR Equipment, I have tried (b)(6), (b)(6), and (b)(6). Any Suggestions?

(b)(6)

Battalion Fire Chief  
NDW Central-Battalion 1  
202-767-1908

(b)(6)

-----Original Message-----

From: (b)(6) CIV NDW ANND, N30  
Sent: Friday, December 14, 2012 12:16  
To: (b)(6) CIV NSWCCD W. Bethesda, 7503  
Cc: (b)(6) CIV NDW WNYD, N30; (b)(6) CIV NSA Annapolis HQ, N30; (b)(6)  
(b)(6) CIV NDW ANND, N30  
Subject: FW: ELMR Radios

Please see below request to Mr. Udell

(b)(6)

Battalion Fire Chief  
NDW Central-Battalion 1  
202-767-1908

(b)(6)

-----Original Message-----

From: (b)(6) CIV NDW ANND, N30  
Sent: Monday, December 10, 2012 11:10  
To: (b)(6) CIV NDW DLGR, N61  
Cc: (b)(6) CIV NDW ANND, N30; (b)(6) CIV DLGR, N6E  
Subject: ELMR Radios

(b)(6),

Please see attached list of portables that have been sent out for repair prior to February 2012, and provide a current status and accountability of these radios for my records. Also I am in need of 4 additional Speaker Mics for Central, and a Bank Charger for the Training Division. Do I need to submit trouble ticket for Mics & Charger?

V/R

(b)(6)

Battalion Fire Chief  
NDW Central-Battalion 1  
202-767-1908

(b)(6)

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA South Potomac (INHD), N30  
Sent: Wednesday, May 15, 2013 9:47 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NSA South Potomac  
(DLGR), N30; (b)(6) NDW DLGR, N92  
Cc: (b)(6) CIV NDW; (b)(6) CIV NSA South Potomac (INHD), N30; (b)(6)  
(b)(6) CIV NDW INHD, N30  
Subject: RE: Stump Neck Base ELMR Radio  
Signed By: (b)(6)

Chiefs,  
Just FYI...13 hours later and STILL no radio at Stump Neck. No one at Stump Neck has been contacted from anyone about the radio today. Again...this has been out of service for a week and a half! And now...another night operating with portables.

v/r

(b)(6)

Fire Captain  
Naval District Washington  
NSASP, Fire & Emergency Services  
4193 West Farnum Rd  
Bldg 878  
Indian Head, MD 20640  
Comm (301) 744-4370  
DSN 354-4370  
Fax (301) 744-4449

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Wednesday, May 15, 2013 8:41 AM  
To: (b)(6) CIV NSA South Potomac (DLGR), N30; (b)(6) NDW DLGR, N92  
Cc: (b)(6) CIV NDW; (b)(6) CIV NSA South Potomac (INHD), N30; (b)(6)  
(b)(6) CIV NSA South Potomac (INHD), N30  
Subject: RE: Stump Neck Base ELMR Radio

Chief;

Thank you for the input.  
I agree completely with the overall concerns in the e-mails.  
I will do my best to channel this upwards for attention and action.  
Hopefully this will get addressed prior to needing our RFC to add it on his already full plate.  
I will keep you advised of any information I receive.

Stay safe.

R/(b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services  
NSA-Annapolis  
410.293.5775 Office

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA South Potomac (DLGR), N30  
Sent: Wednesday, May 15, 2013 8:30  
To: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) NDW DLGR, N92  
Cc: (b)(6) CIV NDW; (b)(6) CIV NSA South Potomac (INHD), N30; (b)(6)  
(b)(6) CIV NSA South Potomac (INHD), N30  
Subject: FW: Stump Neck Base ELMR Radio  
Importance: High

(b)(6) and (b)(6) ,

I need some assistance from your level to push regional N6 to get the base radio at SN repaired. The below email from (b)(6) pretty much sums up the matter - Lack of money and support!

Respectfully,

-----Original Message-----

From: (b)(6) CIV NSA South Potomac (INHD), N30  
Sent: Wednesday, May 15, 2013 8:09 AM  
To: (b)(6) CIV NSA South Potomac (DLGR), N30  
Cc: (b)(6) CIV NSA South Potomac (INHD), N30; (b)(6) CIV NDW; (b)(6)  
(b)(6) NDW DLGR, N92; (b)(6) CIV NDW; (b)(6) CIV NDW INHD, N92;  
(b)(6) CIV NDW INHD, N30; (b)(6) CIV NDW  
Subject: Stump Neck Base ELMR Radio

Chief,

Last Sunday, 05 May, I was detailed to SN. During the course of the day, the ELMR Base Station Radio started to turn itself on and off making a loud popping noise throughout the firehouse speakers. The unit was unplugged as it would not turn off by the knob. I attempted to contact the CNIC Help Desk to no avail. I was told that a ticket was called in on Monday to repair the radio. On Friday, 10 May, I was again detailed to SN. I was told that the radio was still not working. I contacted the CNIC Help Desk and requested that repairs be made. I received a ticket number and a confirmation email. The ticket number is INC000000351682. I then contacted (b)(6) directly to notify him of the problem. He told me that once he received the ticket, he would send someone out immediately.

This leads us to today. As I have been off since Saturday and this is my first day back, I was under the assumption that the radio would have been fixed by now...being an Emergency Alerting Radio! However, during Radio Test this morning, Stump Neck advised that they are STILL operating off of portables! I contacted (b)(6) and was told that the ticket was

stuck in funding. This...in my opinion...is 100% UNACCEPTABLE! This is NOT a radio that is used on occasion during maneuvers. This is an Emergency Services PRIMARY radio!

Could someone please get the ball rolling on this issue?

Thank you!

v/r

(b)(6)

Fire Captain

Naval District Washington

NSASP, Fire & Emergency Services

4193 West Farnum Rd

Bldg 878

Indian Head, MD 20640

Comm (301) 744-4370

DSN 354-4370

Fax (301) 744-4449

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA South Potomac (INHD), N30  
Sent: Wednesday, August 14, 2013 3:45 PM  
To: (b)(6) CIV NDW DLGR, N30  
Cc: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR status inventory and status  
Attachments: ELMR INVENTORY-14AUG13.docx  
Signed By: (b)(6)

Chief's

As requested. Gathered by (b)(6)

Respectfully,

(b)(6)

Battalion Fire Chief  
Naval Support Activity South Potomac  
NSF Dahlgren Fire & EMS  
17658 Dahlgren Rd.  
Bldg 411  
Dahlgren, Va. 22448  
Office: (540) 653-6673  
Station: (540) 653-8726  
Fax: (540) 653-6466  
email: (b)(6)

"Humility is not thinking less of yourself; rather, it is thinking of yourself less."  
C.S. Lewis

-----Original Message-----

From: (b)(6) CIV NDW DLGR, N30  
Sent: Wednesday, August 14, 2013 10:41  
To: (b)(6) CIV NSA South Potomac (INHD), N30; (b)(6) CIV NDW  
Cc: (b)(6) CIV NSA South Potomac (DLGR), N30  
Subject: FW: ELMR status inventory and status

Chiefs, please gather this info and report to (b)(6). (b)(6) may have a list of all assets.

Thanks,

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Wednesday, August 14, 2013 9:47 AM  
To: (b)(6) CIV NDW DLGR, N30  
Subject: FW: ELMR status inventory and status

Chief;

Sorry.....here it is.

R/(b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services  
NSA-Annapolis  
410.293.5775 Office  
410.293.5797 Alternate

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission, nor for misinterpretations by the receiver of the contents. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Wednesday, August 14, 2013 9:46  
To: (b)(6) CIV NDW ANND, N30; (b)(6) CIV NSA South Potomac (DLGR), N30;  
(b)(6) CIV NAS Patuxent River, N30  
Cc: (b)(6) CIV NMMC'; (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV  
NDW NSAA, N30; (b)(6) CIV NDW WYND, N30  
Subject: ELMR status inventory and status

Chiefs;

Per our meeting this Monday, please verify your ELMR inventories, and identify any and all radio associated equipment that need repairs, are out for repairs, or batteries that need replacement.

Please forward this information to me, such that I may assemble a single document for the RFC and NDW personnel. We will soon have a better tracking tool to use in our efforts.

We have been reenergized in attempting to rectify our ELMR issues.

Thank you, and stay safe.

R/(b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services  
NSA-Annapolis  
410.293.5775 Office  
410.293.5797 Alternate

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission, nor for misinterpretations by the receiver of the contents. Remember OPSEC/COMSEC.

NSF Dahlgren  
ELMR INVENTORY

8/14/2013

Desktop Base Radio 1 total (Captains Office)

Mobile Radios 8 total (E281, E282, T28 & BC28 have 2 heads each)

Portable Radios 24 total (23 in service, 1 OOS turned in to Joe Udell)

Batteries 53 ea. (43 In service, 10 OOS)

Note: OOS batteries will be turned in for replacement next week

(b)(6)

CIV NSA Annapolis HQ, N30

---

From:  
Sent:  
To:

(b)(6) CTR NDW WNYD, N3  
Thursday, May 17, 2012 3:20 PM

(b)(6)

Subject: ELMR Conference Agenda  
Attachments: ELMRs Conference 31 May 2012.ppt

ALCON,

Please see the attached agenda & 2 talking points slides that will be used at the ELMR Conference on 31 May 2012.

V/R,  
(b)(6)  
N3 Executive Assistant  
National Technologies Associates  
Phone: 202-433-0180  
Cell: (b)(6)  
Fax: 202-433-0526



Commander,  
Navy Region Naval District Washington



# ELMR Conference

Location: NSF Indian Head, EOC

Start time: 0900

Date: Thursday, 31 May 2012



# Agenda Items

- ☐ ELMRs Today
- ☐ Road Ahead
- ☐ Placing ELMR equipment into the sustainment world
- ☐ Getting problems to the right code
  - a) CONOPS/SOP = N3
  - b) Equipment/Sustainment/Signal Mapping/Survey = N6
  - c) Other agencies: CNIC/NAVFAC ASHORE/MOTOROLA/MAY-COMM
- ☐ Navy ELMRs and NCR ELMRS
- ☐ Second Generation Radios
- ☐ Inventory of Current Radios
- ☐ Inventory of Second Generation Radios through the eyes of N6 Management
- ☐ Past & Current Capabilities with regards to dead spots and building interference
- ☐ N6 Requirement on how to use the ICRI
- ☐ Closing Remarks

# NDW - Number of Tickets for ELMR

Past 30 days

Product Name	Number of Incidents
ELMR	14

Age of Incident (days)	Submit Date	Incident ID	Priority	Name	Summary	Status
8	04/16/2012 9:45:34 AM	INC000000257160	Low	(b)(6)	Dahlgren fire - replace 10 batteries.	Closed
25	04/18/2012 6:05:10 AM	INC000000258159	Low	(b)(6)	Annapolis security - p7130 Serial Number#9146328. broken knob	Assigned
19	04/25/2012 5:39:37 PM	INC000000260308	Low	(b)(6)	ELMR - Base Station Back Up Radio Shut Off	Resolved
18	04/26/2012 1:01:27 PM	INC000000260546	Low	(b)(6)	Washington Navy Yard, ELMR - Backup Radio antenna issue	Assigned
14	04/30/2012 9:48:35 AM	INC000000261155	Low	(b)(6)	ELMR - Subscriber Unit Issue - Recording Playback is inoperable SPAS02000018833	Resolved
11	05/03/2012 1:28:37 PM	INC000000262341	Low	(b)(6)	Indian Head . The radio is drifting off into police channels. Radio call sign IH0010.	Assigned
10	05/04/2012 9:18:21 AM	INC000000262667	Low	(b)(6)	Dahlgren elmr. Model p7130 ,Serial no 9146312. Radio does not receive.	Pending
6	05/08/2012 7:41:35 AM	INC000000264678	Low	(b)(6)	Pax fire. p7100 radio, Serial 9146361. radio does not receive.	Pending
0	05/08/2012 7:55:08 AM	INC000000264693	Low	(b)(6)	Pax fire. replace 15 batteries that have failed the conditioner.	Closed
4	05/10/2012 8:45:24 AM	INC000000265524	Low	(b)(6)	ELMR - Subscriber Unit Issue	Assigned
4	05/10/2012 3:58:05 PM	INC000000265723	Medium	(b)(6)	ELMR - NDW Fire side console patch is not working.	Assigned
3	05/11/2012 11:28:27 AM	INC000000265902	Low	(b)(6)	ELMR - Subscriber Unit Issue	Assigned
3	05/11/2012 5:37:29 PM	INC000000266044	High	(b)(6)	ELMR - Subscriber Unit Issue	Assigned
2	05/12/2012 2:57:12 PM	INC000000266070	Low	(b)(6)	ELMR - Subscriber Unit Issue - MACOM Mobile radio has garbled transmissions	Assigned



# Emergency Operations Centers Communication Status



	Phone	Secure Phone	NIPR	SIPR	ELMR	PS-Net	Comments
<b>NDW</b>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
NSA Washington	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
NSA Annapolis	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<ul style="list-style-type: none"> <li>SIPR access via JS/NCIS</li> </ul>
<b>JBAB</b>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<ul style="list-style-type: none"> <li>JBAB ELMR is 98% complete</li> <li>SIPR available via AF</li> </ul>
NAS Patuxent River	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
NSF Indian Head	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
NSF Dahlgren	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
NSA Bethesda	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<ul style="list-style-type: none"> <li>SIPR access through NMMC COC</li> </ul>

As of: 15 May 2012

No Reqt

NMMC

PMIC

PMIC

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NDW ANND, N30  
Sent: Thursday, August 15, 2013 10:59 AM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6) NDW HQ, N3; (b)(6) CIV NDW ANND, N30; (b)(6) CIV NDW ANND, N30  
(b)(6) CIV NDW ANND, N30; (b)(6) CIV NDW ANND, N30  
Subject: FW: ELMR Radio Update  
Attachments: LMR Radio Inventory Aug 14.xlsx  
Signed By: (b)(6)  
Importance: High

Chief, here is the information you requested for Central ELMR Radio Status.

Thanks (b)(6)

-----Original Message-----

From: (b)(6) CIV NDW ANND, N30  
Sent: Wednesday, August 14, 2013 13:11  
To: (b)(6) CIV NDW ANND, N30; (b)(6) CIV NDW ANND, N30  
Cc: (b)(6) CIV NDW ANND, N30  
Subject: ELMR Radio Update

Chiefs,

Attached is current ELMR Radio Inventory for JBAB/NSAW, OOS radios in Red

6 Portables out for repair, 1 from Dec 2012, 1 from Jan 2013, 4 from June and July 2013

1 Mobile Radio (Ambulance 41) needs to be programmed, original request sent Aug 9, 2013

Please see email below we have 17 radios that display the wrong identifier when keyed up. This will create a situation when a firefighter pushes their Emergency Button, but we don't know who it is. I sent this email to (b)(6) on 7/26/13 and have not gotten any response, (b)(6) was also cc'd on email.

(b)(6)

Battalion Fire Chief - Operations  
Joint Base Anacostia Boling &  
Naval Support Activity Washington  
202-767-1908 (Office)  
202-320-2236 (Duty Cell)

(b)(6)

-----Original Message-----

From: (b)(6) CIV NDW ANND, N30  
Sent: Friday, July 26, 2013 15:38  
To: (b)(6) CIV NDW DLGR, N61; (b)(6) CIV DLGR, N6E; (b)(6) CIV NDW  
WNYD, N37

Cc: (b)(6) CIV NDW ANND, N30; (b)(6)

NDW HQ, N3; (b)(6)

CIV

NDW ANND, N30

Subject: ELMR Radio Identifier Issues

16 Staff,

JBAB/NSAW is experiencing issues with radio identifiers on the portable radios. The issue is that the radio identifier is showing up different on the dispatch consoles than it does on the other portables and mobile radios. This becomes an issue when an emergency identifier is activated and a 6 or 8 digit number or spare is displayed on the command vehicle display, instead of the unit number or position. The console identifiers listed below are correct, the Mobile/Portable displays are wrong and need to be corrected.

Radio Location	Serial #	Console Identifier	Mobile/Portable Display
Engine 41 Mobile	RE3822	WYEN41	WY E44
Engine 41 Officer P	9143478	WYF315 (Spare Radio)	WY Spare
Engine 41 D/O P	9146504	EN41DO	WY Spare
Engine 41 R/B P	9146511	E41RB	GR131333
Engine 41 L/B P	9143471	EN41LB	WY Spare
Tower 21 Officer P 9143479		WF305 (Spare Radio)	WY Spare
Ambulance 41 OIC	9143478	WAM41OIC	WY Spare
Ambulance 41 D/O	9143491	WYF325 (Spare Radio)	WY Spare
Engine 752 Mobile		E752	GR131440
Engine 752 OIC	9143502	E752 OIC	GR131486
Engine 752 D/O	9143418	E752 DO	GR131490
Engine 752 R/B	9143420	E752 RB	GR131489
Engine 752 L/B	9143503	E752 LB	GR131488
Engine 752 Utility 9146629		U752	GR131491
Spare Radio Co 752 9143367		E752 RB (Needs to be E752 Spare)	GR131489
RDC Console #3	Displays as G2170803		
RDC Console #4	Displays as G2170904		

Joe - I can probably explain this better on the phone, I return to work Wednesday and Thursday next week please give me a call then to discuss and come up with a solution.

Thanks,

(b)(6)

Battalion Fire Chief - Operations  
NDW Fire & Emergency Services  
Joint Base Anacostia Bolling &  
Naval Support Activity Washington  
202-767-1908 (Office)  
202-320-2236 (Ops Duty Phone)

(b)(6)

NDW Fire Emergency Services  
LMR Radio Inventory

7/22/2013

Location	Serial Number	Make/Model	Programming	Identifier	Notes	Ticket #
District Chief Mobile	9810180	M7100	Supervisors			
District Chief Portable	9145195	P7170	Supervisors			
Battalion Chief Mobile	9810242	M7100	Supervisors			
Battalion Chief Portable	9145199	P7170	Supervisors			
Prevention Chief Portable	9145202	P7170	Supervisors			
Training Chief Portable	9145200	P7170	Supervisors			
Training Chief Mobile		M7100	Supervisors			
Battalion Chief Office	9143484	P7100	Firefighter			
NSAW EOC Portable	9146672	P7170	Firefighter			
Battalion Chief-DCFD Mobile	500CGZ0705	Motorola Astro	DCFD			
Battalion Chief-DCFD Portable	721CJZA778	XTS 5000R	DCFD			
Engine 41 Mobile	RE3822	M7100	Firefighter			
41 OIC	9143454	P7130	Firefighter	7/22/2013	Out for Repair	INC367779
41 D/O	9146504	P7130	Firefighter			
41 RB	9146511	P7130	Firefighter	1/31/2013	Out for Repair	INC320378
41 LB	9143471	P7130	Firefighter	6/10/2013	Out for Repair	INC358247
U1	9143462	P7130	Firefighter			
E41 PGFD Mobile	80800430	Kenwood M4X6MAX	PGFD			
E41 DCFD Mobile	276CHV0544	Motorola Astro	DCFD			
E41 DCFD Portable	721CJR2270	XTS5000	DCFD			
E41 DCFD Portable	721CJZ8406	XTS5000	DCFD			
Engine 44 Mobile	9811092	M7100	Firefighter			
E44 PGFD Mobile	80800426	Kenwood M4X6MAX	PGFD			
E44 DCFD Mobile	500CGZ0708	Motorola Astro	DCFD			
Tower 21 Mobile	RE47512	M7100	Firefighter			
T21 OIC	9143469	P7130	Firefighter	6/10/2013	Out for Repair	INC358246
T21 D/O	9138160	P7130	Firefighter			
T21 R/B	9146508	P7130	Firefighter			
T21 L/B	9143461	P7130	Firefighter			
Tower 21 PGFD Mobile	80800429	Kenwood M4X6MAX	PGFD			
Tower 21 DCFD Mobile	500CGZ0709	Motorola Astro	DCFD			
Tower 21 DCFD Portable	721CJZ8521	XTS 5000R	DCFD			
Tower 21 DCFD Portable	721CJZA770	XTS 5000R	DCFD			
Tower 21 DCFD Portable			DCFD			
Hazmat Support Unit Mobile	RE39062	M7100	Firefighter			
Foam Unit Mobile		M7100	Firefighter			
Foam Unit DCFD Mobile	500CGZ0703	XTL 5000	DCFD			
TAU Mobile		M7100	Firefighter			
E42 Mobile		M7100	Firefighter			
E42 OIC	9143405	P7130	Firefighter			
E42 D/O	9146673	P7130	Firefighter			
E42 R/B	9143409	P7130	Firefighter			
E42 L/B	9146666	P7130	Firefighter			
Utility 2 Portable	9143411	P7130	Firefighter			
E42 DCFD Portable	721CJZ8414	XTS 5000R	DCFD			
E43 Mobile	RE39173	M7100	Firefighter			
E43 OIC	9143463	P7100IP	Firefighter			
E43 D/O	9138390	P7130	Firefighter			
E43 R/B	9143412	P7130	Firefighter			
E43 L/B	9146512	P7130	Firefighter			
Utility 3 Portable	9143487	P7130	Firefighter			
E43 PGFD Mobile	3607078073	Kenwood M4X6MAX	PGFD			
PGFD Portable			PGFD			
DCFD Mobile	500CGZ0706	Motorola Astro	DCFD			
E43 DCFD Portable	721CJZB747	XTS5000R	DCFD			

NDW Fire Emergency Services  
LMR Radio Inventory

7/22/2013

Location	Serial Number	Make/Model	Programming	Identifier	Notes	Ticket #
Unit Mobile	RE38752	M7100	Firefighter			
Unit DCFD Mobile	500CGZ0702	Motorola Astro	DCFD			
E752 Mobile		M7100	Firefighter			
E752 OIC	9143502	P7130	Firefighter			
E752 D/O	9143418	P7130	Firefighter			
E752 R/B	9143420	P7130	Firefighter			
E752 L/B	9143503	P7130	Firefighter			
Utility 52 Mobile		M7100	Firefighter			
Utility 52 Portable	9146629	P7130	Firefighter			
Co 52 Spare	9143367	P7130	Firefighter			
E752 MCFD Mobile		Motorola Astro	MCFD			
E752 MCFD Port OIC	326CCY2682	XTS3000	MCFD			
E752 MCFD Port D/O	326ABU0572	XTS3000	MCFD			
E752 MCFD Port R/B	326CCY2680	XTS3000	MCFD			
E752 MCFD Port L/B	326CCY2681	XTS3000	MCFD			
Ambulance 19 - A	9138169	P7130	Firefighter		Lock Box	
Ambulance 19 - B	9138988	P7130	Firefighter		Lock Box	
Inspector 1	9143483	P7130	Inspector		Wolfe	
Inspector 2	9146671	P7130	Inspector		Lock Box	
Inspector 3	9146667	P7130	Inspector		Williams	
Inspector 4	9143407	P7100IP	Inspector		Lock Box	
Inspector 5	9146507	P7100IP	Inspector		McCoy	
Inspector 6	9146513	P7130	Inspector		Insp Office Spare	
Inspector 7	9146680	P7130	Inspector		JBAB EOC	
Inspector 8	9143480	P7100IP	Inspector		Roberts	
Inspector 9	9146681	P7100IP	Inspector		Lock Box	
Station 1	9810268	M7100				
Base Station 2	9810297	M7100				
Base Station 3	9987246	M7100				
Base Station 52	9810299	M7100				
Spare Portable,1	9143479	P7130	Firefighter		Tower 21 OIC	
Spare Portable 2	9146504	P7130	Firefighter		Lock Box	
Spare Portable 3	9143491	P7130	Firefighter		Amb 41 D/O	
Spare Portable 4	9146683	P7130	Firefighter		E41 L/B	
Spare Portable 5	9138986	P7130	Firefighter		E41 R/B	
Spare Portable 6	9143413	P7130	Firefighter		Lock Box	
Spare Portable 7	9143404	P7130	Firefighter		Lock Box	
Spare Portable 8	9146505	P7130	Firefighter	Per NG Non-Repairable	Out for Repair	INC367782
Spare Portable 9	9143478	P7130	Firefighter		A41 OIC	
Spare Portable 10	9146664	P7130	Firefighter	12/29/2012	Out For Repair	INC320378
Spare Portable 11	9143473	P7100IP	Firefighter		Lock Box	

(b)(6)

CIV NSA Annapolis HQ, N30

---

**From:** (b)(6) CIV NDW ANND, N30  
**Sent:** Thursday, August 01, 2013 2:05 PM  
**To:** (b)(6) JB Anacostia/Bolling HQ, JB3  
**Cc:** (b)(6) CIV NDW ANND, N30; (b)(6) CIV NDW ANND, N30;  
(b)(6) NDW HQ, N3; (b)(6) CIV NSA Annapolis HQ, N30; (b)(6)  
(b)(6) CIV NDW WYND, N30; (b)(6) CIV NDW ANND, N30  
**Subject:** ELMR Radio's  
**Signed By:** (b)(6)  
**Importance:** High

OPSO,

The RDC just called (b)(6) and advised our ELMR radio system would be down 5-10 minutes. I believe this is on going from the weekend issue, they are trying to switch from back-up to Fort Belvoir main site. Issue, Fire will need to rely on the conventional channel (radio to radio line of site), there will be no emergency identifier and no link to the RDC to request resources.

COA: (b)(6) will attempt to use conventional radio, where feasible. Request a talk group from D.C. Fire and request or update RDC via phone.

(b)(6)

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NDW ANND, N30  
Sent: Wednesday, February 13, 2013 3:14 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6) NDW DLGR, N92  
Subject: Dispatch Procedure/ELMR Issues

(b)(6) for consideration.

BLUF: I advised (b)(6) that in March we would go to the Tack Channel and (b)(6) raised an issue.

Amplifying Information: If the duty Chief at night does not run the call (was not due), but monitors the call for awareness/intervention. Can we find out if the Command radios can scan? If in the station or on the scene, if the radio will not scan there is a potential to miss the communications from the unit on a tack channel or miss the communications from dispatch unless you have two separate radios.

Additional Information: my need to contact N6 Joe Udell for an answer/solution.

Thanks (b)(6)

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6) CIV NDW ANND, N30  
Sent: Saturday, December 29, 2012 10:12 AM  
To: (b)(6) CIV NDW DLGR, N61; (b)(6) CIV NDW HQ, N61  
Cc: (b)(6) CIV DLGR, N6E; Russell, Robert P CIV NDW WNYD, N3; (b)(6)  
(b)(6) NDW DLGR, N92; (b)(6) CIV NSA Annapolis HQ, N30; (b)(6)  
CIV NDW ANND, N30; (b)(6) CIV NDW ANND, N30; (b)(6) CIV  
NDW ANND, N30  
Subject: FW: ELMR Radios  
Attachments: LMR Radios OOS.xlsx  
Importance: High

(b)(6)

BLUF: I have received your request to verify NSAW ELMR N30 inventory and have assigned my ELMR POC (b)(6) the task.

Amplifying Information: (b)(6) has reached out to get a status on radio's sent out for repair and has not gotten a response as of this time. In an effort to maintain an accurate inventory for NSAW N30 and to know our real time ELMR capabilities please respond back to (b)(6) request for information on radio repair.

Additional Information: Your inventory shows radio's under our inventory being at dispatch, I assume this is the RDC. If this is the case, I request N6 to remove them from our inventory and reassign to the RDC, since we have no control over those radios. (b)(6) has advise he has made request for radio microphones, straps and cases. I have directed him to take the following actions; call tickets into the help desk for these items like we did for replacement batteries. If this is not the procedure please provide the way a head.

Thank you and the N6 team in advance for your assistance in these matters.

V/R (b)(6)

-----Original Message-----

From: (b)(6) CIV NDW ANND, N30  
Sent: Thursday, December 20, 2012 9:16  
To: (b)(6) CIV NDW ANND, N30  
Cc: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) NDW DLGR, N92  
Subject: FW: ELMR Radios

Chief,

I have not gotten any response in reference to the December 10 or December 14 emails below in reference to the status of 6 ELMR Radios that have been out for repair for 1 year, and a request for some other needed ELMR Equipment, I have tried (b)(6), (b)(6), and (b)(6) (b)(6) Any Suggestions?

(b)(6)

Battalion Fire Chief  
NDW Central-Battalion 1

202-767-1908

(b)(6)

-----Original Message-----

From: (b)(6) CIV NDW ANND, N30

Sent: Friday, December 14, 2012 12:16

To: (b)(6) CIV NSWCCD W. Bethesda, 7503

Cc: (b)(6) CIV NDW WNYD, N30; (b)(6)

CIV NSA Annapolis HQ, N30; (b)(6)

(b)(6) CIV NDW ANND, N30

Subject: FW: ELMR Radios

Please see below request to (b)(6)

(b)(6)

Battalion Fire Chief

NDW Central-Battalion 1

202-767-1908

(b)(6)

-----Original Message-----

From: (b)(6) CIV NDW ANND, N30

Sent: Monday, December 10, 2012 11:10

To: (b)(6) CIV NDW DLGR, N61

Cc: (b)(6) CIV NDW ANND, N30; (b)(6)

CIV DLGR, N6E

Subject: ELMR Radios

(b)(6),

Please see attached list of portables that have been sent out for repair prior to February 2012, and provide a current status and accountability of these radios for my records. Also I am in need of 4 additional Speaker Mics for Central, and a Bank Charger for the Training Division. Do I need to submit trouble ticket for Mics & Charger?

V/R

(b)(6)

Battalion Fire Chief

NDW Central-Battalion 1

202-767-1908

(b)(6)

Portables OOS for Repair since last Inventory 2/12/12							12/10/2012
41 D/O	9146504	P7130	Firefighter	Out for Repair			
U1	9143462	P7130	Firefighter	Out for Repair			
T21 D/O	9138160	P7130	Firefighter	Out for Repair			
Ambulance 19 - B	9138988	P7130	Firefighter	Out for Repair			
Inspector 7	9146680	P7130	Inspector	Out for Repair			
Spare Portable 10	9146664	P7130	Firefighter	Out for Repair			

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NDW ANND, N30  
Sent: Tuesday, June 26, 2012 10:33 AM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6) NDW DLGR, N92  
Subject: FW: PSA Net Carderock

(b)(6), FYI late notification (see email below). This action was resolved that afternoon. I do not know what the cause was. I will try to ensure your notified when these occur.

(b)(6)

-----Original Message-----

From: (b)(6) CIV NDW, N3  
Sent: Monday, June 25, 2012 6:04  
To: (b)(6) CIV NDW ANND, N30  
Cc: (b)(6) CIV NDW ANND, N30; NSAW CDO; (b)(6) CIV NDW ANND, N30  
Subject: PSA Net Carderock

Chiefs & NSAW CDO,

The PSA NET which enables the Carderock ELMR radio system to communicate with the trunked radio system is down. I am told this is a Verizon issue and they are working to find a solution to the problem also I have advised the Carderock Fire station to call the R.O.C for any responses on and off the installation this does affect both Police & Fire.

If you have any questions please don't hesitate to call 202-767-1908

With optimism,

(b)(6)

Fire Captain, Tower 21  
202-767-5407

(b)(6)

(b)(6)

CIV NSA Annapolis HQ, N30

---

**From:** (b)(6) CIV NDW ANND, N30  
**Sent:** Tuesday, June 26, 2012 10:17 AM  
**To:** NSAW CDO; NSAW Emergency Operations Center; NSAW N3 Operations  
**Cc:** NDW ELMR; (b)(6) CIV NDW ANND, N30; (b)(6) CTR NDW HQ,  
N3; (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) NDW DLGR, N92;  
(b)(6) NSA Washington (WNYD), N31  
**Subject:** ELMR Outage

BLUF: 0917 NSAW Dispatcher Sees notified N30 Fire that the Dispatch ELMR radio was down and utilizing the back-up radio.

Additional Information: Update 1000 Dispatcher Sees advised the radio technician was contacted and in route.

Impact: Fire loss capability for emergency identifier on portable radios and radio traffic is not recorded.

r/

(b)(6), District Fire Chief  
Naval Support Activity Washington  
Joint Base Anacostia Bolling  
NDW Fire & Emergency Services  
5 Castle Avenue  
Joint Base Anacostia Bolling  
Washington D. C. 20032  
202-685-0217 Office  
202-735-8485 work cell  
(b)(6) personal cell  
(b)(6)

**\*\*FOR OFFICIAL USE ONLY-PRIVACY SENSITIVE\*\*** This e-mail, including any attachments, may contain information that requires protection from unauthorized disclosure. Do not disseminate this e-mail, or its contents, to anyone who does not have an official need for access. Any misuse or unauthorized disclosure can result in both civil and criminal penalties.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NDW ANND, N30  
Sent: Wednesday, June 20, 2012 9:23 AM  
To: (b)(6) CIV NSA South Potomac (DLGR), N30; (b)(6) CIV NSA  
Annapolis HQ, N30; (b)(6) ; (b)(6) CIV NAS  
Patuxent River HQ, N30  
Cc: (b)(6) NDW DLGR, N92  
Subject: ELMR Follow up  
Attachments: ELMR Coverage Report.xlsx

Chiefs as a follow up to the Regional ELMR Brief and rollout, there are some items we owe N3/N6. Please have your B/C's work this and send back to me for consolidation and response.

1) Communications Plan. If you currently have a written SOG for ELMR usage/failure and Mutual Aid radio usage please send. The plan should identify what normal operations and what you do if there is a radio failure i.e., evacuate, line of sight, mutual aid radio vs. ELMR etc. If you do not have a plan, have the B/C's draft one. (b)(6) brought this up in the meeting. I will take all inputs and consolidate into one Regional SOG, working with (b)(6) (b)(6). Once all of our chops are completed it will be forwarded for the Fire Chief to review.

2) Identify, coverage issues. Attached is a spread sheet that needs to be completed for all buildings on your Installations. We need to communicate to N6 any known coverage issues.

Note: (b)(6) is still our RDC POC, I completing this task from the operations prospective.

(b)(6)

(b)(6), District Fire Chief  
Naval Support Activity Washington  
Joint Base Anacostia Bolling  
NDW Fire & Emergency Services  
5 Castle Avenue  
Joint Base Anacostia Bolling  
Washington D. C. 20032  
202-685-0217 Office  
202-735-8485 work cell  
(b)(6) personal cell  
(b)(6)

**\*\*FOR OFFICIAL USE ONLY-PRIVACY SENSITIVE\*\*** This e-mail, including any attachments, may contain information that requires protection from unauthorized disclosure. Do not disseminate this e-mail, or its contents, to anyone who does not have an official need for access. Any misuse or unauthorized disclosure can result in both civil and criminal penalties.



[illegible]

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Thursday, August 08, 2013 3:51 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR  
Signed By: (b)(6)

I know I was listening on the radio and in contact with the LDC thank (b)(6) for taking over fire.

(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Thursday, August 08, 2013 14:36  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR

It came back up a few minutes ago.

R, (b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services  
NSA-Annapolis  
410.293.5775 Office  
410.293.5797 Alternate

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission, nor for misinterpretations by the receiver of the contents. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Thursday, August 08, 2013 14:30  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR

Thanks

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Thursday, August 08, 2013 12:38  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: ELMR

(b)(6)

We just lost radio comms with RDC.

(b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services  
ISA-Annapolis  
410.293.5775 Office  
410.293.5797 Alternate

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission, nor for misinterpretations by the receiver of the contents. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Thursday, August 08, 2013 2:30 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR  
Signed By: (b)(6)

Thanks

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Thursday, August 08, 2013 12:38  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: ELMR

(b)(6) ;

We just lost radio comms with RDC.

(b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services  
NSA-Annapolis  
410.293.5775 Office  
410.293.5797 Alternate

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission, nor for misinterpretations by the receiver of the contents. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Wednesday, June 12, 2013 3:36 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR question  
Signed By: (b)(6)

You're welcome. If you have to take anything down for repair let me know I have a charger that needs to be repaired.

(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Wednesday, June 12, 2013 15:31  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR question

Thank you.

R/(b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services  
NSA-Annapolis  
410.293.5775 Office  
410.293.5797 Alternate

Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Wednesday, June 12, 2013 15:30  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6) CIV NDW DLGR, N61; (b)(6) CIV NDW HQ, N61  
Subject: RE: ELMR question

Thom (b)(6) or (b)(6) . I have them "cc"'d. on this email.

(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Wednesday, June 12, 2013 10:59  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: ELMR question

(b)(6) ;

Greetings.

Can you please advise who is the hardware person within Regional N6/RDC for radio issues? I need some assistance/attention to the battery problems we have with our portables.

Thank you.

R/(b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services

NSA-Annapolis

410.293.5775 Office

410.293.5797 Alternate

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Wednesday, June 12, 2013 3:30 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6) CIV NDW DLGR, N61; (b)(6) CIV NDW HQ, N61  
Subject: RE: ELMR question  
Signed By: seconda.s.hollinger@navy.mil

(b)(6) or (b)(6) . I have them "cc"'d. on this email.

(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Wednesday, June 12, 2013 10:59  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: ELMR question

(b)(6) ;

Greetings.

Can you please advise who is the hardware person within Regional N6/RDC for radio issues? I need some assistance/attention to the battery problems we have with our portables.  
Thank you.

R/(b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services  
NSA-Annapolis  
410.293.5775 Office  
410.293.5797 Alternate

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Wednesday, May 15, 2013 11:38 AM  
To: Murphy, Daniel J CIV NSA Annapolis HQ, N30  
Subject: RE: Stump Neck Base ELMR Radio  
Signed By: second.s.hollinger@navy.mil

I forwarded your email to the EM for Stump neck and (b)(6) who is over the ELMR program.

(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Wednesday, May 15, 2013 8:47  
To: (b)(6) CIV NDW WNYD, N37  
Cc: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: FW: Stump Neck Base ELMR Radio  
Importance: High

(b)(6)

;

Greetings.

I am sending this to you, in my capacity as NDW Fire rep for all EM/RDC issues.  
We are having significant communications problems at Stump Neck, as defined in the e-mail traffic below.

Please assist, especially in getting this to the correct people who need to know.

I respectfully request to be kept in the loop, so I can advise the Regional Fire Chief.

Thank you.

R/(b)(6)

(b)(6)

Chief / IPD, Fire & Emergency Services  
NSA-Annapolis  
410.293.5775 Office  
410.293.5797 Alternate

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA South Potomac (DLGR), N30  
Sent: Wednesday, May 15, 2013 8:30  
To: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) NDW DLGR, N92  
Cc: (b)(6) CIV NDW; (b)(6) CIV NSA South Potomac (INHD), N30; (b)(6)  
(b)(6) CIV NSA South Potomac (INHD), N30  
Subject: FW: Stump Neck Base ELMR Radio  
Importance: High

(b)(6) and (b)(6) ,

I need some assistance from your level to push regional N6 to get the base radio at SN repaired. The below email from (b)(6) pretty much sums up the matter - Lack of money and support!

Respectfully,

-----Original Message-----

From: (b)(6) CIV NSA South Potomac (INHD), N30  
Sent: Wednesday, May 15, 2013 8:09 AM  
To: (b)(6) CIV NSA South Potomac (DLGR), N30  
Cc: (b)(6) CIV NSA South Potomac (INHD), N30; (b)(6) CIV NDW; Miedzinski,  
(b)(6) NDW DLGR, N92; (b)(6) CIV NDW; (b)(6) CIV NDW INHD, N92;  
(b)(6) CIV NDW INHD, N30; (b)(6) CIV NDW  
Subject: Stump Neck Base ELMR Radio

Chief,

Last Sunday, 07 May, I was detailed to SN. During the course of the day, the ELMR Base Station Radio started to turn itself on and off making a loud popping noise throughout the firehouse speakers. The unit was unplugged as it would not turn off by the knob. I attempted to contact the CNIC Help Desk to no avail. I was told that a ticket was called in on Monday to repair the radio. On Friday, 10 May, I was again detailed to SN. I was told that the radio was still not working. I contacted the CNIC Help Desk and requested that repairs be made. I received a ticket number and a confirmation email. The ticket number is INC000000351682. I then contacted Joe Udell directly to notify him of the problem. He told me that once he received the ticket, he would send someone out immediately.

This leads us to today. As I have been off since Saturday and this is my first day back, I was under the assumption that the radio would have been fixed by now...being an Emergency Alerting Radio! However, during Radio Test this morning, Stump Neck advised that they are STILL operating off of portables! I contacted Joe Udell and was told that the ticket was stuck in funding. This...in my opinion...is 100% UNACCEPTABLE! This is NOT a radio that is used on occasion during maneuvers. This is an Emergency Services PRIMARY radio!

Could someone please get the ball rolling on this issue?

Thank you!

v/r

(b)(6)

Fire Captain  
Naval District Washington  
NSASP, Fire & Emergency Services  
4193 West Farnum Rd  
Bldg 878  
Indian Head, MD 20640  
Comm (301) 744-4370  
DSN 354-4370  
Fax (301) 744-4449

(b)(6)

**CIV NSA Annapolis HQ, N30**

---

**From:** (b)(6) CIV NSA Annapolis HQ, N37  
**Sent:** Wednesday, November 21, 2012 10:58 AM  
**To:** (b)(6) CIV NDW DLGR, N61  
**Cc:** (b)(6) CIV NDW NSAA, N3; (b)(6) CIV NSA Annapolis HQ, N3AT; (b)(6)  
(b)(6) CIV NSA Annapolis HQ, N30  
**Subject:** RE: ELMR FIRE AND POLICE CHANNELS

Hey (b)(6) if the first request can't be done can we at least have a CT and FI supervisors link?

(b)(6)

-----Original Message-----

**From:** (b)(6) CIV NSA Annapolis HQ, N37  
**Sent:** Wednesday, November 21, 2012 7:40  
**To:** (b)(6) CIV NDW DLGR, N61  
**Cc:** (b)(6) CIV NDW NSAA, N3; (b)(6) CIV NSA Annapolis HQ, N3AT; (b)(6)  
(b)(6) CIV NSA Annapolis HQ, N30  
**Subject:** ELMR FIRE AND POLICE CHANNELS

Good morning (b)(6),

A question was raised by one of our Police officers about Police being able to talk to Fire. Is there any way the Fire channel can be programmed in on the Police radio and the Police channel be programmed on the Fire radio ? If so how soon can it be done?  
Thanks.

(b)(6)

410-293-5771

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Wednesday, November 21, 2012 10:56 AM  
To: (b)(6) CIV NDW NSAA, N3; (b)(6) CIV NSA Annapolis HQ, N30; (b)(6)  
(b)(6) CIV NSA Annapolis HQ, N3AT  
Cc: (b)(6) NSA Annapolis HQ, N3AT  
Subject: FW: USNA eLMR Greenbury Point

FYSA

-----Original Message-----

From: (b)(6) CIV NDW HQ, N61  
Sent: Wednesday, November 21, 2012 10:46  
To: (b)(6) CIV NDW WNYD, N3; (b)(6) CIV NSA Annapolis HQ, N37; (b)(6)  
(b)(6) CIV NDW WNYD, N37; (b)(6) CIV NDW WNYD, N37; (b)(6) CIV NSA  
Annapolis HQ, N65  
Cc: (b)(6) CIV NDW DLGR, N61; (b)(6) CIV NDW DLGR, N61  
Subject: USNA eLMR Greenbury Point

All,

PSNET has successfully migrated the eLMR circuit at Greenbury Point. All eLMR communications have been restored. If there are any problems please let me know. Thank you.

(b)(6) CIV  
N61 Regional Network Manager  
N61 eLMR Project Manager  
Naval District Washington  
NIPR: (b)(6)  
SIPR: (b)(6)  
Commercial: (540) 653-6463  
DSN: 249-6463  
BlackBerry: ((b)(6))

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Wednesday, November 21, 2012 10:53 AM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR FIRE AND POLICE CHANNELS

I will send this to (b)(6) as well. Thanks.

(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Wednesday, November 21, 2012 9:14  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR FIRE AND POLICE CHANNELS

(b)(6) ;

That is a capital idea.

Option - if there is an issue, perhaps we can push for the CT and FI supervisors link at least.

Stay safe.

R/(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Wednesday, November 21, 2012 7:40  
To: (b)(6) CIV NDW DLGR, N61  
Cc: (b)(6) CIV NDW NSAA, N3; (b)(6) CIV NSA Annapolis HQ, N3AT; (b)(6),  
(b)(6) CIV NSA Annapolis HQ, N30  
Subject: ELMR FIRE AND POLICE CHANNELS

Good morning (b)(6),

A question was raised by one of our Police officers about Police being able to talk to Fire. Is there any way the Fire channel can be programmed in on the Police radio and the Police channel be programmed on the Fire radio ? If so how soon can it be done?  
Thanks.

(b)(6)

410-293-5771

(b)(6)

**CIV NSA Annapolis HQ, N30**

---

**From:** (b)(6) CIV NSA Annapolis HQ, N37  
**Sent:** Wednesday, November 21, 2012 7:40 AM  
**To:** (b)(6) CIV NDW DLGR, N61  
**Cc:** (b)(6) CIV NDW NSAA, N3; (b)(6) CIV NSA Annapolis HQ, N3AT; (b)(6)  
(b)(6) CIV NSA Annapolis HQ, N30  
**Subject:** ELMR FIRE AND POLICE CHANNELS

Good morning (b)(6)

A question was raised by one of our Police officers about Police being able to talk to Fire. Is there any way the Fire channel can be programmed in on the Police radio and the Police channel be programmed on the Fire radio ? If so how soon can it be done?  
Thanks.

(b)(6)

410-293-5771

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Monday, July 09, 2012 8:33 AM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: RDC ELMR Total Crash

Yes. (b)(6) was supposed to send me some other info on issue so I can forward them up.  
Thanks.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Wednesday, July 04, 2012 10:12  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6) CIV NDW WNYD, N37  
Subject: FW: RDC ELMR Total Crash

(b)(6) ;  
Were you made aware of this radio system issue?  
Thanks much.

r/(b)(6)  
(b)(6)  
Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
110.293.5775

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Saturday, June 30, 2012 7:31  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6) CIV NDW NSAA, N30; (b)(6) NDW DLGR, N92; (b)(6)  
CIV NDW WYND, N30  
Subject: RDC ELMR Total Crash

Chief,

(b)(6) asked me to inform you that the RDC went down approx 0300 hrs this morning. The only communication we have with them is by telephone. The police here have put an officer in the old Dispatch Center to monitor police traffic and Police alarms. We have no way of receiving on base fire alarms here in the Annapolis Fire stations.

Respectfully,

(b)(6)

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 2:26 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

I would have responded sooner but I was in training

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 14:19  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR outage

No, we turned it back over, but can retrieve it as necessary.

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 14:18  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

So are you currently working of the County's TAC channel?

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 14:14  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR outage

Very true.

Probably won't have one either.

Thanks.

(b)(6)

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 14:14  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

Got it I was going to bring it up at the meeting if you weren't on the line. Doesn't seem like they have an answer as to what happened and how to fix it.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 13:47  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR outage

I have no idea.  
RDC advised us they went down.

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 13:20  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

Chief did we put a trouble call in? And contact (b)(6) ?

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 10:11  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6) NDW DLGR, N92  
Subject: ELMR outage

(b)(6) ;

Greetings.

FI is experiencing intermittent radio outages this morning.

We are having trouble receiving the RDC, and this has caused us to secure a TAC channel from AA County for our comms, until the system is fully restored.

r/(b)(6)

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 2:25 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

Ok thanks for the update

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 14:19  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR outage

No, we turned it back over, but can retrieve it as necessary.

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 14:18  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

So are you currently working of the County's TAC channel?

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 14:14  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR outage

Very true.

Probably won't have one either.

Thanks.

(b)(6)

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 14:14  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

Got it I was going to bring it up at the meeting if you weren't on the line. Doesn't seem like they have an answer as to what happened and how to fix it.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 13:47  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR outage

I have no idea.  
RDC advised us they went down.

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 13:20  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

Chief did we put a trouble call in? And contact (b)(6) ?

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 10:11  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6) NDW DLGR, N92  
Subject: ELMR outage

(b)(6) ;

Greetings.

FI is experiencing intermittent radio outages this morning.

We are having trouble receiving the RDC, and this has caused us to secure a TAC channel from AA County for our comms, until the system is fully restored.

r/(b)(6)

(b)(6)

Chief / IPD

Naval District Washington

Fire & Emergency Services

at NSA-Annapolis.

410.293.5775

Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 2:18 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

So are you currently working of the County's TAC channel?

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 14:14  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR outage

Very true.  
Probably won't have one either.  
Thanks.

(b)(6)

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 14:14  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

Got it I was going to bring it up at the meeting if you weren't on the line. Doesn't seem like they have an answer as to what happened and how to fix it.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 13:47  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR outage

I have no idea.  
RDC advised us they went down.

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 13:20  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

Chief did we put a trouble call in? And contact (b)(6) ?

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 10:11  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6) NDW DLGR, N92  
Subject: ELMR outage

(b)(6) ;

Greetings.

FI is experiencing intermittent radio outages this morning.  
We are having trouble receiving the RDC, and this has caused us to secure a TAC channel from AA County for our comms, until the system is fully restored.

r/(b)(6)

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain

viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 2:14 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

Got it I was going to bring it up at the meeting if you weren't on the line. Doesn't seem like they have an answer as to what happened and how to fix it.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 13:47  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR outage

I have no idea.  
RDC advised us they went down.

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 13:20  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

Chief did we put a trouble call in? And contact (b)(6) ?

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 10:11  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6) NDW DLGR, N92  
Subject: ELMR outage

(b)(6)

Greetings.

FI is experiencing intermittent radio outages this morning.  
We are having trouble receiving the RDC, and this has caused us to secure a TAC channel from  
AA County for our comms, until the system is fully restored.

(b)(6)

(b)(6)

Chief / IPD  
Naval District Washington  
Fire & Emergency Services  
at NSA-Annapolis.  
410.293.5775

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, June 26, 2012 1:20 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR outage

Chief did we put a trouble call in? And contact (b)(6) ?

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, June 26, 2012 10:11  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6) NDW DLGR, N92  
Subject: ELMR outage

(b)(6) ;

Greetings.

FI is experiencing intermittent radio outages this morning.

We are having trouble receiving the RDC, and this has caused us to secure a TAC channel from AA County for our comms, until the system is fully restored.

r, (b)(6)

(b)(6)

Chief / IPD

Naval District Washington

Fire & Emergency Services

at NSA-Annapolis.

410.293.5775

"Just because you want it to be...does not make it so"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Wednesday, May 30, 2012 8:42 AM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR meeting

Thanks

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Wednesday, May 30, 2012 8:37  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: ELMR meeting

(b)(6) ;

Greetings.

I will not be attending this meeting; however, (b)(6) from Indian Head will be the FI representative in my place.

R/(b)(6)

(b)(6)

Chief / IPD

Naval District Washington

Fire & Emergency Services

at NSA-Annapolis.

410.293.5775

"Mission first...Safety always"

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Monday, May 14, 2012 2:13 PM  
To: (b)(6) CIV NSA Annapolis HQ, N3AT; (b)(6) NSA Annapolis HQ, N3AT;  
(b)(6) CIV NSA Annapolis HQ, N30; (b)(6)  
Subject: FW: South Potomac DRAFT Annex for RDC  
Attachments: NSASP South Potomac Annex to RDC CNIC 3440 5\_9\_12 TIB.docx

Gentlemen please take a look at this quick reference guide for Regional dispatch. This template came from South Potomac so if you see something listed that we don't do then remove it. Please look over this document and add at your leisure but we want something short and to the point in reference to calls the Dispatcher may receive. This guide will be used for cross training Dispatchers from other installations. Thank you for your input.

(b)(6)

-----Original Message-----

From: (b)(6) [mailto:(b)(6)]  
Sent: Monday, May 14, 2012 14:05  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: FW: South Potomac DRAFT Annex for RDC

-----Original Message-----

From: (b)(6) CIV NDW DLGR, N37 [mailto:(b)(6)]  
Sent: Wednesday, May 09, 2012 7:28 AM  
To: (b)(6)  
Subject: FW: South Potomac DRAFT Annex for RDC

(b)(6)

Naval Support Activity South Potomac  
Installation Program Director/Emergency Management 540-653-4790 cell

(b)(6)

NIPR: (b)(6)

SIPR: (b)(6)

(b)(6)

Privacy Act - 1974 As amended applies. This E-Mail may contain information which must be protected IAW DoD 5400.11R, and is For Official Use Only.

-----Original Message-----

From: (b)(6) CIV NDW DLGR, N37  
Sent: Wednesday, May 09, 2012 7:28  
To: (b)(6) CIV NDW DLGR, N37; (b)(6) CIV NDW WNYD,  
N37; (b)(6) NSA Annapolis'; (b)(6) CIV NDW JBAB, JB37;  
(b)(6) CIV JB Anacostia/Bolling HQ, JB37; (b)(6) CIV NAS  
'Patuxent River, N37; (b)(6) CIV NSA Bethesda'; (b)(6) CIV  
'NSA Bethesda'  
Cc: (b)(6) CIV NDW WNYD, N37  
Subject: RE: South Potomac DRAFT Annex for RDC

Guess the attachment would help...

(b)(6)

Naval Support Activity South Potomac

Installation Program Director/Emergency Management 540-653-4790 cell

(b)(6)

NIPR: (b)(6)

SIPR: (b)(6)

(b)(6)

Privacy Act - 1974 As amended applies. This E-Mail may contain information which must be protected IAW DoD 5400.11R, and is For Official Use Only.

-----Original Message-----

From: (b)(6) CIV NDW DLGR, N37

Sent: Wednesday, May 09, 2012 7:27

To: (b)(6) CIV NDW WNYD, N37; (b)(6) NSA Anapolis';

(b)(6) CIV NDW JBAB, JB37; (b)(6) CIV JB Anacostia/Bolling

HQ, JB37; (b)(6) CIV NAS Patuxent River, N37; (b)(6) CIV NSA

Bethesda'; (b)(6) CIV NSA Bethesda'

Cc: (b)(6) CIV NDW WNYD, N37

Subject: South Potomac DRAFT Annex for RDC

ALCON,

As promised my draft is attached. If Jeff approves, please use as a template. Hopefully this will be cleaned and scrubbed this week to send up. Questions give me a call or send cash, gold and or diamonds...

(b)(6)

Naval Support Activity South Potomac

Installation Program Director/Emergency Management 540-653-4790 cell

(b)(6)

NIPR: (b)(6)

SIPR: (b)(6)

(b)(6)

Privacy Act - 1974 As amended applies. This E-Mail may contain information which must be protected IAW DoD 5400.11R, and is For Official Use Only.

**Naval Support Activity Annapolis**  
**Annex to CNIC 3440.18**  
**Regional Dispatch Center Instructions**

1. Purpose. The purpose of this Annex is to continue NSA Annapolis Commanding Officers established procedures and protocol for the timely notification of Command Duty Officers, Emergency Management Officer, security alarm activations, notification of alarmed spaces points of contacts, weather reporting, Fire and Police procedures, Range Control procedures and notifications for health and safety of military, civilian, contractors, residents and guests aboard Naval Support Activity Annapolis (NSAA).

2. Require immediate notification of Command Duty Officers (CDO) and the NSA Annapolis Emergency Management Officer:

a. Any loss of critical systems or communications between NSAA installations and with Regional Dispatch Center (RDC).

(1) Fire Alarms

(2) Fire Sprinkler Systems

(3) Radio Communications (ELMR)

(4) IDS

(5) Phones

b. Any death or serious injury that may be life threatening which occurs on an NSAA installations or involves a military service member/civilian employee or family member a military service member or civil employee assigned to NSAA or a MidShipmen.

c. Any sexual assault, drug, or felony offense occurring on a NSAA installations.

d. Any arrest of or report that a NSAA military service member or civilian employee has committed a criminal offense regardless of location.

FOR OFFICIAL USE ONLY

e. Any significant accident or incident involving DoD forces in the NSAA AOR drawing national media attention or having the potential to negatively affect NSAA's mission and image.

f. Any Class A mishap involving any vehicle, vessel, or aircraft on an NSAA installation.

g. Any report of fire or EMS call on NSAA installations or on any off-installation fires in which base resources are dispatched to supported.

h. Any reports or incidents of individuals probing NSAA installations.

i. Any request for Safe Haven by AA&E trucks at NSAA installations.

j. Any weather forecast with potential to limit or disable NSAA fire/EMS and/or police detection or response capabilities.

3. Require immediate notification of Emergency Management Officer:

a. Loss of Communications or any systems degradation in RDC operational status resulting in the need to stand up the LDC at NSAA installations.

b. Severe Weather Alerts

c. Loss of utilities affecting quality of life for operations and residents.

d. Confirmed Fires

e. Explosions (chemical or otherwise)

f. Personal Injuries or Death of Service Members.

g. Active Shooter

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

4. Communications:

a. Call Signs for installations Law Enforcement:

(1) NSA Annapolis- ((b)(6)) please put the call signs in for police)

b. Call Signs for installations Fire/EMS:

(1) Fire Station 1 - (Chief can you put down the call signs i.e. AMB 463 for station 1)

Chief 28 (A/B), Engine 281/282, Truck 28, Ambulance 288/289, Brush 28, Hazmat 28, Inspector 1, Inspector 2

(2) Fire Station 2 - (Same here for Station 2)

Chief 20 (A/B), Engine 201/202, Truck 20, Medic 20, Ambulance 209, Brush 20, Hazmat 20, Utility 20, Inspector 1

5. Security Alarm Activations, Response Times, and Notifications of POC:

a. On the LENEL Main Alarm Monitoring Window you will see color coded highlighted alarms identifying the priority of that alarm. ((b)(6)) do we have this capability?)

(1) Priority One - Alarms highlighted in PURPLE are a FIVE (5) Minute response time for Law Enforcement. No calling the facility just dispatch patrol units.

(2) Priority Two - Alarms highlighted in RED are a FIFTEEN (15) Minute response time for Law Enforcement. No calling the facility just dispatch patrol units.

(3) Priority Three - Alarms highlighted in ORANGE are a THIRTY (30) Minute response time for Law Enforcement.

(4) All other Alarms that are not identify in above color will be the first available patrol unit.

(5) Also on the LENEL Main Alarm Monitoring Window you will see three additional colors Green, Yellow and Light Blue

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

highlighted alarms. These alarms are System Alarms that may require you make a notification to the LENEL System Administrator, a building POC or command security personnel.

b. Dispatchers will not be able to acknowledge the alarm without making comments in the white box identified as Notes on the lower left hand corner of the alarm acknowledgment window. You are required to add your own comments on actions you have taken in response to alarm before clearing alarms.

6. Monitoring of Alarms by supported commands facilities:

(b)(6)

a. The following procedures will be used in coordinating the shifting of responsibility for monitoring alarms at facilities during normal working hours:

NOTE: If RDC does not receive notification from facility that they are monitoring their alarms, dispatchers will send units.

(1) At beginning of work day - facility will notify RDC when they are resumed monitoring alarms.

(2) At end of work day - facility will notify RDC when they are securing from monitoring alarms.

b. The following facilities monitored their alarms during normal work hours. (b)(6) please fill in the blanks)

(1) North Severn

(a) ?

(b) ?

(2) USNA

(a) ?

7. Facilities Monitored by outside agencies:

a. The following procedures are used in reporting alarms to RDC from outside monitoring companies that requires police units to response: (Is this what we currently do?)

FOR OFFICIAL USE ONLY

(1) Outside agencies will call installations emergency number to report and what type of alarm.

(2) RDC will dispatch units.

(3) Outside agencies will notify facility manager of alarm and to report to facility.

b. The following facilities have their alarms monitored by outside agencies and the name of the company: ((b)(6) DO WE HAVE ANY ALARMS LIKE THIS?)

(1) NSF Dahlgren (North Severn)

(a) MDA - Monitored Internally @ Bldg. 1705

(b) Navy Exchange - ADT

(c) NCIS - SKIF Electronics Inc

(2) NSF Indian Head (USNA)

(a) Navy Exchange - Stanley Security

(b) Navy Federal Credit Union - Vector Security

8. Accessing and Securing Alarms: ((b)(6) what alarms need to go here?)

a. AA&E Magazines -

b. RFI -

c.

9. Weather Reporting:

a. All severe weather reports will be broadcast to Fire and Police via ELMR and notification made to the NSA Annapolis CDO.

b. Range Control monitors thunder and lightning static electricity and will call the RDC when meters warn that all explosive operations will cease. This information will be broadcast to Fire and Police via ELMR and notification made to

FOR OFFICIAL USE ONLY

the NSA Annapolis CDO. (b)(6) is this the procedure for our ranges?)

10. Fire Procedures:

a. Daily Fire tone alert check will be conducted between the hours of (0730-0800) with both NSF Fire departments via ELMR. (b)(6) do we do this?)

b. The following changes will occur for dispatching fire and EMS units and NSA ANNAPOLIS:

(1) The ELMR station alert tone will be the only notification at the station of an on-base call. (Chief is this how we currently work?)

(2) The County pager (in the LDC) is NOT being transferred to the RDC. Station 1& 2 will have to rely on the station King George pager and Scanner for notification of any mutual aid call to Anne Arundel County. When 'Alerted/Dispatched' to an Anne Arundel County call:

(a) The responding unit will mark up on the ELMR radio, indicating the Unit Responding, reason, Location and Type of Call. i.e. "Engine 281 responding Mutual Aid to King George to 1234 Dahlgren road for an MVA".

(b) Someone remaining in the fire station will call the RDC to make certain they have the correct information.

(3) Anne Arundel County dispatch will call (phone) the RDC and request mutual aid. The RDC will dispatch the requested unit.

(a) The responding unit will mark up on the ELMR radio, indicating the Unit Responding, reason, Location and Type of Call. i.e. "Engine 281 responding Mutual Aid to Charles County to the Niece Bridge for an MVA".

(b) Someone remaining in the fire station will call the RDC to make certain they have the correct information.

(4) The non-emergency phone number for the Annapolis dispatcher is 202-433-7626 (or DSN 288-7626). Please use

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

this number first, for notifying dispatch of a response, to get times or to contact the on-duty dispatcher of any problem/situation.

(5) The Emergency phone number will remain the same as before (911). However, if the Annapolis dispatcher is currently on this line, it will 'roll-over' to other dispatchers in the RDC. Again, should another locations dispatcher should answer this line, provide them with all applicable information that is to be passed on.

10. Police Procedures: ( (b)(6) what routine procedures would you want listed here for dispatchers that are cross training to the NSA Annapolis station like fire???)

11. Reports:

a. Upon the conclusion of each NSA Annapolis dispatcher's shift an electronic copy of all daily events entered into the Computer Aided Dispatch (CAD) or Daily Journal will be sent via email to the NSA Annapolis Emergency Manager for distribution to Command personnel.

FOR OFFICIAL USE ONLY

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Thursday, May 03, 2012 9:36 AM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: ELMR portables

THanks

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Thursday, May 03, 2012 9:32  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR portables

(b)(6)

I understand (b)(6) submitted a trouble ticket to have the reprogramming done.

r/(b)(6)

(b)(6)

Installation Fire Chief  
Naval District Washington  
Fire & Emergency Services  
at Annapolis, MD.  
410.293.5775

"When you change the dynamic, the dynamic is changed", 2004

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. Remember OPSEC/COMSEC.

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Thursday, May 03, 2012 7:12  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: FW: ELMR portables

Good morning Chief did we ever get (b)(6) this info?

-----Original Message-----

From: (b)(6) CIV NDW DLGR, N61  
Sent: Friday, April 27, 2012 12:02  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6); (b)(6) CIV NSA Annapolis HQ, N30; (b)(6); (b)(6)  
(b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NDW NSAA, N3; (b)(6) CIV NDW WNYD,  
N37; (b)(6) CIV NDW DLGR, N61; (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR portables

(b)(6)

Has an Incident number been assigned to the below request?

v/r

(b)(6)

NDW eLMR System Administrator

Cell (b)(6)

(b)(6)

ELMR/ATFP Help Desk  
1-888-264-4255 opt. 1

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Thursday, April 26, 2012 4:16 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NDW DLGR, N61  
Cc: (b)(6); (b)(6) CIV NSA Annapolis HQ, N30; (b)(6); (b)(6)  
(b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NDW NSAA, N3; (b)(6) CIV NDW WNYD,  
N37; (b)(6) CIV NDW DLGR, N61  
Subject: RE: ELMR portables

Chief please put in a trouble ticket for this and (b)(6) please touch base with the Fire Chief to get this corrected. Thanks.

r/(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Thursday, April 26, 2012 15:12  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6); (b)(6) CIV NSA Annapolis HQ, N30; (b)(6); (b)(6)  
CIV NSA Annapolis HQ, N30  
Subject: ELMR portables

(b)(6);

During a telephone call with (b)(6) of RDC today, I was advised that our radios do not have proper identifiers on them.

Our identifiers are displaying AA and numbers, vice Quint 46 or Batt Chief 46.

We will need re-programming to maintain compliance.

Thank you.

r/(b)(6)

(b)(6)

Installation Fire Chief  
Naval District Washington  
Fire & Emergency Services  
at Annapolis, MD.  
410.293.5775

"When you change the dynamic, the dynamic is changed", 2004

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Thursday, May 03, 2012 7:12 AM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: FW: ELMR portables

Good morning Chief did we ever get (b)(6) this info?

-----Original Message-----

From: (b)(6) CIV NDW DLGR, N61  
Sent: Friday, April 27, 2012 12:02  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6); (b)(6) CIV NSA Annapolis HQ, N30; (b)(6); (b)(6)  
(b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NDW NSAA, N3; (b)(6) CIV NDW WNYD,  
N37; (b)(6) CIV NDW DLGR, N61; (b)(6) CIV NSA Annapolis HQ, N37  
Subject: RE: ELMR portables

(b)(6)

Has an Incident number been assigned to the below request?

v/r

(b)(6)

NDW eLMR System Administrator

Cell (b)(6)

(b)(6)

ELMR/ATFP Help Desk  
1-888-264-4255 opt. 1

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Thursday, April 26, 2012 4:16 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NDW DLGR, N61  
Cc: (b)(6); (b)(6) CIV NSA Annapolis HQ, N30; (b)(6); (b)(6)  
(b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NDW NSAA, N3; (b)(6) CIV NDW WNYD,  
N37; (b)(6) CIV NDW DLGR, N61  
Subject: RE: ELMR portables

Chief please put in a trouble ticket for this and (b)(6) please touch base with the Fire Chief to get this corrected. Thanks.

r/(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Thursday, April 26, 2012 15:12  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6); (b)(6) CIV NSA Annapolis HQ, N30; (b)(6); (b)(6)  
CIV NSA Annapolis HQ, N30  
Subject: ELMR portables

(b)(6);

During a telephone call with (b)(6) of RDC today, I was advised that our radios do not have proper identifiers on them.

Our identifiers are displaying AA and numbers, vice Quint 46 or Batt Chief 46.  
We will need re-programming to maintain compliance.  
Thank you.

(b)(6)

(b)(6)

Installation Fire Chief  
Naval District Washington  
Fire & Emergency Services  
at Annapolis, MD.  
410.293.5775

"When you change the dynamic, the dynamic is changed", 2004

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. Remember OPSEC/COMSEC.

CIV NSA Annapolis HQ, N30

From:  
Sent:  
To:  
Cc:

(b)(6)

CIV NSA

(b)(6)

Subject:

Chief please put in a trouble ticket for this and (b)(6) please touch base with the Fire Chief to get this corrected. Thanks.

r/(b)(6)

-----Original Message-----

From: (b)(6)

Sent: (b)(6)

To: (b)(6)

Cc: (b)(6)

CIV

Subject: ELMR portables

CIV NSA

Annapolis HQ, N30

:12

Annapolis HQ, N37

CIV NSA Annapolis HQ, N30;

(b)(6)

(b)(6)

During a telephone call with (b)(6) of RDC today, I was advised that our radios do not have proper identifiers on them. Our identifiers are displaying AA and numbers, vice Quint 46 or Batt Chief 46. We will need re-programming to maintain compliance.

r/(b)(6)

(b)(6)

Naval District Washington  
Fire & Emergency Services  
at Annapolis, MD.  
410.293.5775

"When you change the dynamic, the dynamic is changed", 2004

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From:  
Sent:  
To:

(b)(6)

CIV NSA Annapolis HQ, N37  
Thursday, April 26, 2012 4:16 PM

(b)(6)

Cc:

(b)(6)

Subject:

RE: RDC Meeting Minutes

(b)(6) and (b)(6) (b)(6) is in class all this week so he was not available to assist with alarms. We need to coordinate a date and time as well as some type of schedule/plan to get the alarm integration done. (b)(6) is the installation POC and has been working with the region to assist with this problem. Once he returns from training then he can assist (b)(6) with his request.

r/(b)(6)

-----Original Message-----

From: (b)(6) CIV NDW WNYD, N3  
Sent: Thursday, April 26, 2012 13:22

(b)(6)

(b)(6)

(b)(6),

Thanks for the insight ...

If you have real problems connecting with installation personnel to address the alarm description and identification problems, let me know. We'll make it clearer in the minutes of the installation participation.

Have promulgated July 15 for personnel to arrive at yard to dispatch NASPR, specifically because of the N6 alarm integration projected a 5-6 week completion after NSASP (currently May 6). If the NASPR alarm takes longer, that will be addressed separately, but the goal is still for all pieces to be completed by that date.

The Pax dispatchers are required to be given a 60 day notification for this effort, and counting back from 15 July, you get the letters to be initiated, as stated by N1, next week (with a 7-10 day buffer).

r/  
(b)(6)

-----Original Message-----

From: (b)(6) CIV SPAWARSYSCEN-PACIFIC, 41450  
Sent: Thursday, April 26, 2012 12:59

(b)(6)

(b)(6)

Subject: RE: RDC Meeting Minutes

ALCON,

I have two issues with the meeting minutes that need to make everyone aware of, first is the issue with Annapolis alarm programming: I sent out a separate email stating what would need to happen prior to me sending out (b)(6) to help with the receiver programming, keep in mind that programming of alarms within the base is not a sustainment issue, I am more than willing to assist in any way that I can, but I have to get all the info from (b)(6) before we can proceed any further. The second issue is the date for PAX River, it states here that they want to go live in July, unfortunately at this point I am not sure that we can meet that date, based on the issues with getting the contract cut to ADT (still working those issues) ADT states a 90 day start to finish, that means if we were to start right now, ADT would not be completed until 1JUL, at this point I believe that the best guess would be 30JUL at the earliest.

Regards

(b)(6)

-----Original Message-----

From: (b)(6) CTR NDW HQ, N3

Sent: Thursday, April 26, 2012 9:15 AM

(b)(6)

Subject: RDC Meeting Minutes

ALCON,

Attached are the meeting minutes for Tuesdays, 23 April, RDC meeting.

V/R

(b)(6)

(b)(6)

N3 Technology

Naval District Washington

National Technology Associates

Phone: 202-433-3252

Bus Cell: 202-288-5026

Fax: 202-433-0526

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, April 17, 2012 3:20 PM  
To: (b)(6) CIV NSA Annapolis HQ, N30  
Subject: RE: Alarm acknowledgement

Ok thanks

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, April 17, 2012 14:21  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6)  
Subject: Alarm acknowledgement

(b)(6) ;

Just closing the loop.

From what was said earlier in the RDC tele-con: I am satisfied that there will be an actual human interaction with received alarms.  
Our concern was that there could not be a completely automated acknowledgement and silencing of an alarm.

R/(b)(6)

(b)(6)

Installation Fire Chief  
Naval District Washington  
Fire & Emergency Services  
at Annapolis, MD.  
410.293.5775

"When you change the dynamic, the dynamic is changed", 2004

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, April 10, 2012 5:26 PM  
To: (b)(6) CIV NDW WNYD, N37  
Cc: (b)(6) CIV NDW NSAA, N3(b)(6) CIV NSA Annapolis HQ, N30; (b)(6)  
(b)(6) NSA Annapolis HQ, N3AT  
Subject: FW: RDC issues

(b)(6) I tried to call but you were not at your desk so I'm sending this email in reference to some issues from Fire Chief Murphy. I added my comments. Please see the issues below and let me know what your plans are to fix the issues. Thanks.

(b)(6)

-----Original Message-----

From: (b)(6) CIV NSA Annapolis HQ, N30  
Sent: Tuesday, April 10, 2012 12:27  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6) ; (b)(6) NDW DLGR, N92  
Subject: RDC issues

(b)(6) ;

Just bringing you up to speed on the latest issues we have experienced with RDC.

1. Switch over Sunday morning, 8 APR 12 went fairly smoothly.
2. Minor issues securing dispatch times/run numbers, while dispatcher searched the computer for info. Not a show stopper.

As of Monday, 9 APR 12:

3. Run/incident numbers do not correspond with Annapolis format. We are getting the format used by NSA-W FI.

EM Comments: We discussed this with (b)(6) on the phone on Friday and he acknowledged that he understood the format NSA Annapolis used. Was this info not passed on to the Dispatchers?

4. Dispatch cannot provide us with the actual time they received a call for service, or time of dispatch. We are getting the times we actually responded. We must have the call-in times, dispatch times, and response times for legal compliance.

EM comments: Is this information recorded in the CAD? If not can it be programmed to capture the time or does the Dispatcher have to keep a separate log?

5. Annapolis has two separate and distinct Fire Department Identification Numbers, for reporting requirements. We have one ID for Station 1, and another for Station 2. This was a requirement from AA County to mesh with their new CAD system. RDC does not differentiate between the stations as we do. This will result in different incident counts and tracking, which will impact our data call answers and year-end accountability.

EM Comments:

Here are our two separate FDID numbers:

Station 1 (county station 46) is N1002

Station 2 (county station 47) is N1010

It appears this information was overlooked, or possibly not incorporated in the CAD system. We need to have this incorporated in order to differentiate our calls, and to ensure adequate recordkeeping and liability coverage.

The need for two separate and distinct FDID numbers was/is for identification and dispatching purposes with the AA County CAD.

We operate in two different jurisdictions for Fire, AA County (station 2) and Annapolis City (station 1).

6. A lack of a fax machine is impacting our ability to secure response documentation.

EM Comments: when will a fax be acquired? Is there an issue with the line? Someone told Buddy that the fax machine in the RDC just needed to be hooked up is this true? What is the status? In the mean time we need a work around. Can the information be emailed?

R/(b)(6)

(b)(6)

Installation Fire Chief  
Naval District Washington  
Fire & Emergency Services  
at Annapolis, MD.  
410.293.5775

"When you change the dynamic, the dynamic is changed", 2004

Privacy Act of 1974, as amended, applies. This email may contain information that must be protected in accordance with 5 U.S.C.s 552a, as implemented within the DoD by 32 C.F.R. Part 310 and DoD 5400.11R and with the Department of the Navy by SECNAVINST 5211.5D. For Official Use Only. Remember OPSEC/COMSEC.

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Monday, April 09, 2012 3:31 PM  
To: (b)(6); (b)(6); (b)(6); (b)(6) CIV NSA Annapolis HQ,  
N3AT; (b)(6) CIV NSA Annapolis HQ, N37; (b)(6) CIV NSA Annapolis  
HQ, N37; (b)(6) CIV NSA Annapolis HQ, N30  
Cc: (b)(6) CIV NDW NSAA, N3; (b)(6) CIV NDW WNYD, N37  
Subject: RE: LDC-RDC phone #'s

The phone numbers listed below are incorrect the LDC numbers being forwarded to the RDC are:

410-293-3333  
410-293-4444  
911  
410-293-5760  
410-293-5761

The non recorded/non emergency line used to reach NSA Annapolis dispatch is 202-433-7626

The non recorded line to reach NSA Annapolis local dispatch in bldg 257 is 410-293-5788

-----Original Message-----

From: (b)(6) [mailto:(b)(6)]  
Sent: Friday, April 06, 2012 16:01  
To: (b)(6) CIV NSA Annapolis HQ, N37; (b)(6); (b)(6);  
(b)(6) CIV NSA Annapolis HQ, N3AT; (b)(6) CIV NSA Annapolis HQ, N37; (b)(6)  
(b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6) CIV NDW NSAA, N3; (b)(6)  
Subject: LDC-RDC phone #'s

Hello all,

LDC Annapolis Emergency numbers being forwarded to the DRC are:

410-293-3333  
410-293-4444  
911  
410-293-5960  
410-293-5961

410-293-5988 is LDC non recorded line.

202-433-7626 is RDC non recorded line.

These line will be used as a com link between the LDC and the RDC.

Thank you.

(b)(6)

(b)(6)

CIV NSA Annapolis HQ, N30

---

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Friday, March 23, 2012 3:39 PM  
To: (b)(6) CIV NDW WNYD, N37; (b)(6)  
Cc: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NDW NSAA, N3; 'AE1  
(b)(6); (b)(6) CIV NDW WNYD, N3  
Subject: RE: ELMR function inquiry

Thanks

-----Original Message-----

From: (b)(6) CIV NDW WNYD, N37  
Sent: Friday, March 23, 2012 14:14  
To: (b)(6)  
Cc: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NDW NSAA, N3; (b)(6);  
(b)(6) CIV NSA Annapolis HQ, N37; (b)(6) CIV NDW WNYD, N3  
Subject: RE: ELMR function inquiry

Good Friday Afternoon (b)(6) ,

An advance notification should be forward to the RDC's Manager/Supervisor for coordination. Once dates & times are agreed upon, an RDC employee will be on stand-by to acknowledge receipt of tested alarms.

I hope this answers the question.

V/R,  
(b)(6)

-----Original Message-----

From: (b)(6) [mailto:(b)(6)]  
Sent: Wednesday, March 21, 2012 12:07  
To: (b)(6) CIV NDW WNYD, N37  
Cc: (b)(6) CIV NSA Annapolis HQ, N30; (b)(6) CIV NDW NSAA, N3; (b)(6);  
(b)(6) CIV NSA Annapolis HQ, N37  
Subject: FW: ELMR function inquiry

(b)(6) please note the Fire Chief's concern for testing fire alarms.  
Thanks.

(b)(6)

-----Original Message-----

From: (b)(6) [mailto:(b)(6)]  
Sent: Wednesday, March 21, 2012 10:46 AM  
To: (b)(6)  
Cc: (b)(6) NDW DLGR N92; (b)(6) NDW WYND N30  
Subject: ELMR function inquiry

(b)(6) ;

Greetings.

Since I have been dialing into the last few RDC tele-conferences, I have noticed something that may be lacking.  
I have not heard anything about provisions for fire alarm testing procedures

currently being followed at installation level being addressed at Regional Dispatch level.

All fire departments test alarm systems in each building at least annually, some more frequently, per CNIC directives. This ties up a dispatcher, at least for the time necessary to perform the testing functions.

Do you know of any plans which address what will occur when all FDs test their alarm systems, and the test signals go to RDC?

This could potentially drive assigning a dispatcher to the testing portion (which could impact dispatcher manpower that particular day), or possibly designating a day for all alarm tests, etc. etc. etc.

Thank you.

R/(b)(6)

(b)(6)

Chief / IPD

Naval District Washington

Fire & Emergency Services

at Annapolis, MD.

410.293.5775

NMCI: (b)(6)

Remember OPSEC/COMSEC - Someone is always observing.

Copying, reproduction or distribution without the permission of the author is not permitted. This message may contain information that provides advice or guidance and therefore may be privileged. This email and any attachments are intended solely for the use of the intended recipient and may be private or confidential in nature.

(b)(6)

CIV NSA Annapolis HQ, N30

From: (b)(6) CIV NSA Annapolis HQ, N37  
Sent: Tuesday, February 28, 2012 12:33 PM  
To: 'lapikas@usna.edu'  
Cc: (b)(6); (b)(6) CIV NSA Annapolis HQ, N30; (b)(6); (b)(6)  
(b)(6) CIV NDW DLGR, N61  
Subject: FW: ANNAPOLIS RADIO INVENTORY

AE1 please look over this list and locate these radios so we can schedule a date for (b)(6) to come out and program them. Thanks.

-----Original Message-----

From: (b)(6) CIV NDW DLGR, N61  
Sent: Tuesday, February 21, 2012 14:46  
To: (b)(6) CIV NSA Annapolis HQ, N37  
Cc: (b)(6) CIV NDW WNYD, N62; (b)(6) CIV NDW DLGR, N6  
Subject: FW: ANNAPOLIS RADIO INVENTORY

(b)(6),  
Below is the list of radios.

(b)(6)

v/r  
(b)(6)  
NDW eLMR System Administrator  
Office (540)653-3364  
Cell (b)(6)  
(b)(6)

eLMR/ATFP Help Desk  
1-888-264-4255 opt. 1

-----Original Message-----

From: (b)(6) CIV NDW DLGR, N6  
Sent: Tuesday, February 21, 2012 2:24 PM  
To: (b)(6) CIV NDW DLGR, N61  
Subject: ANNAPOLIS RADIO INVENTORY

The list of radios we haven't seen at Annapolis.

Serial #	Type
9146234	P7130
9146578	P7130
9146581	P7130
9143403	P7130
9145185	7170
9142950	7150
9146250	
9146580	
9146293	
9146236	
9146579	
9146374	
9146443	

9146237  
9143375  
9146576  
9143378  
9052653  
9052650  
9312230

7130

(b)(6)

DNC

Network/Systems Management

Naval District Washington

Naval Support Activity South Potomac (Dahlgren)

NIPR: (b)(6)

Cellular: (b)(6)